

F TRAXTER

PRODUCT SPEC BOOK

VEHICLE SPECIFICATIONS - KEY PACKAGES · ACCESSORIES

2022



2022 TRAXTER

VEHICLE SPECIFICATIONS - KEY PACKAGES

FEATURED PACKAGES Traxter HD7 & HD9 T Traxter XT HD10

ACCESSORIES	
Roofs	14
Cabs	15
Windshields & Mirrors	16
Doors	18
Rear Wind Protection	19
Aluminum Skid Plates	20
Bumpers & Guards	21
LinQ®: Easy On, Easy Off Cargo	25
Cargo & Storage	30
Racks & Holders	33
Lights	36
Audio & Communication Systems	39
Electronic Accessories	40
Winches & Hitches	43
Seats	46
Performance	47
Apache Track Systems	50
ProMount Plows	52
Covers & Add-Ons	56
Tires & Rims	56
	Roofs Cabs Windshields & Mirrors Doors Rear Wind Protection Aluminum Skid Plates Bumpers & Guards LinQ®: Easy On, Easy Off Cargo Cargo & Storage Racks & Holders Lights Audio & Communication Systems Electronic Accessories Winches & Hitches Seats Performance Apache Track Systems ProMount Plows Covers & Add-Ons



© 2021 Bombardier Recreational Products Inc. (BRP). All rights reserved. ©, TM and the BRP logo are trademarks of BRP or its affiliates. ¹All other trademarks are the property of their respective owners. Some models depicted herein may include optional equipment. Prices, if shown, are based on Manufacturer Suggested Retail Prices. Dealers may sell for a different price. For Canada and the US, taxes are not included. Depending on location, products are distributed by BRP US Inc., Bombardier Recreational Products Inc., BRP European Distribution SA, BRP Finland Oy., BRP Austalia Pty Ltd. or BRP Brasil Motorsports LTDA. BRP reserves the right, at any time, to discontinue or change specifications, prices, designs, features or equipment without incurring obligations. Printed in Canada.

CAN-AMOFFROAD.COM



VEHICLE SPECIFICATIONS - KEY PACKAGES

FEATURED PACKAGES

Traxter HD7 & HD9 T Traxter XT HD10

6 8





TRAXTER HD7 & HD9 T

HIGHLIGHTS

TOUGH	 Heavy-duty Rotax[®] engine Smooth, durable and responsive transmission True Can-Am DNA with a strong identity
CAPABLE	Work or ride with confidence Meaningful and versatile functionality Easy handling and capabilities
CLEVER	 Advanced comfort and intuitive cockpit with optimized visibility Multifunction cargo box with sturdy tailgate and smart storage 1-year maintenance free and easy access to key maintenance components
PLATFORM FEATURES	 62 in. (157.5 cm) wide 83 in. (211.5 cm) wheelbase 11 in. (28 cm) of ground clearance 2,500 lb (1136 kg) towing capacity Multifunction cargo box 14 in. (35.6 cm) steel wheels with 27 in. (68.6 cm) Maxis Coronado 2.0† tires 60/40 VERSA-PRO bench seat HMWPE central skid plate ECO™ / ECO™ Off / Work modes 7.6 in. (19.3 cm) digital display Brake holding mechanism Horn, flashers and position lamps, lateral mirrors, license plate support, hook on front metal bumper

- LED tail lights with halo glow effect 7-pin trailer connexion (12V)

ENGINE	HD7 T	HD9 T	
Туре	39 kW (52 hp) / 41 lb-ft, Rotax® ACE (Advanced Combustion Efficiency) 650 cc single cylinder, liquid cooled, catalyst	48 kW (65 hp) / 59 lb-f , Rotax [®] 976 cc, V-twin liquid cooled, catalyst	
Fuel Delivery System	Intelligent Throttle Control (iTC Injection (E		
Transmission	PDrive primary CVT with engine braking and Electronic Drive Belt Protection L / H / N / R / P	PRO-TORQ CVT Transmission with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H N / R / P	
Drive Train	Selectable Turf Mode / 2WD / 4WD with Visco-Lok† auto locking front differential		
Driving Assistance	Electronic Hill Descent Control ECO™ / ECO Off / Work modes Brake holding mechanism		
Power Steering	N/A		
SUSPENSIONS Front Suspension	Double A-arm / 10 in. (25.4 cm) travel	
Front Shocks	Twin tube gas char	ged shocks	
	<u> </u>		
Rear Suspension	TTA with external sway bar /	10 in. (25.4 cm) travel	
Rear Suspension Rear Shocks	TTA with external sway bar / Twin tube gas char		
•			
Rear Shocks		ged shocks	
Rear Shocks	Twin tube gas char Maxxis Coronado 2.0† 27 x 9 x	ged shocks 14 in. (68.6 x 22.9 x 35.6	
Rear Shocks TIRES / WHEELS Front Tires	Twin tube gas char Maxxis Coronado 2.0† 27 x 9 x cm) Maxxis Coronado 2.0† 27 x 11 x	ged shocks 14 in. (68.6 x 22.9 x 35.6 14 in. (68.6 x 27.9 x 35.6	
Rear Shocks TIRES / WHEELS Front Tires Rear Tires	Twin tube gas char Maxxis Coronado 2.0† 27 x 9 x cm) Maxxis Coronado 2.0† 27 x 11 x cm)	ged shocks 14 in. (68.6 x 22.9 x 35.6 14 in. (68.6 x 27.9 x 35.6	
Rear Shocks TIRES / WHEELS Front Tires Rear Tires Wheels	Twin tube gas char Maxxis Coronado 2.0† 27 x 9 x cm) Maxxis Coronado 2.0† 27 x 11 x cm)	ged shocks 14 in. (68.6 x 22.9 x 35.6 14 in. (68.6 x 27.9 x 35.6) steel	

DIMENSIONS / CAPACITIES	HD7 T	HD9 T
Cage	Profiled cage. ROP	S approved
Estimated Dry Weight*	1,492 lb (676.8 kg)	1,497 lb (679 kg)
LxWxH	121 x 62 x 76 in. (307.1 x	157.5 x 193 cm)
Wheelbase	83 in. (211.5	cm)
Ground Clearance	11 in. (28 c	m)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x	138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454	1 kg)
Power tilt bed	N/A	
Tailgate Load Capacity	250 lb (113.4	1 kg)
Storage Capacity	Total: 3.1 gal (11.7 L) Under dash (enclosed pocket): 0.4 gal (1.3 L) Dash: 1.8 gal (6.9 L) Armrests and cup holders: 0.9 gal (3.5 L)	Total: 8.7 gal (33.2 L) Under dash: 6 gal (22.8 L) Dash: 1.8 gal (6.9 L) Armrests and cup holders: 0.9 gal (3.5 L)
Towing Capacity	2,500 lb (113	6 kg)
Payload Capacity	1,500 lb (680) kg)
Fuel Capacity	10.6 gal (40) L)
Person Capacity	3	
FEATURES		
Gauge	7.6 in. (19.3 cm) wide digital Speedometer, tachometer, od meters, fuel, gear position, ECO seat belt and 4 x 4 indicator, f indicators, diagnostics, clock, l temperatu	lometer, trip and hour / ECO Off / Work modes ront and rear diff lock battery voltage, engine
Battery	12-V (18 am	p/h)
Magneto	650-W	
Instrumentation	Lighter type DC outlet in	n console (20-A)
Lighting	140 W lighting output from four 3 wide visiblity and LED tail light	
Winch	N/A	
Seat	60/40 VERSA-PRO bench sea and passengers seat flipping up contoured bench to improve e	p, underside hooks and
Steering Wheel	Adjustable tilt s	teering
Protection	Integrated front ste	el bumper

WARRANTY

Hitch Type

Factory warranty

HMWPE central skid plate 2-in hitch receiver with rear hitch and tow ball

2-year BRP limited warranty



Tundra Green

FEATURE HIGHLIGHTS





Efficient Rotax Engine

Now introducing two new engines with class-leading torque: The HD9 with up to 65 hp/59 lb-ft and the HD7 with up to 52 hp/41 lb-ft. The Can-Am Traxter delivers a quieter cockpit with lower sound levels, built for long hours of work without complaint.

The Can-Am Traxter can tow up to 2,500 lbs (1,136 kg). Strong engine, profiled chassis cage, and compact, hard working suspension. Electronic Hill Descent Control and Work Mode driving assistance technology make it an effortless 2,500.



On-Demand Capability

Meet your new favorite coworker. Towing a trailer, blazing through sand, or seamlessly selecting Turf Mode, 2WD, 4WD, and back, the Can-Am Traxter puts the power down on every terrain so it's the rock at your side workday after workday.



Central Skid Plate

(HMWPE) they're made of. It's lighter than aluminum. And tougher.

VEHICLE SPECIFICATIONS - KEY PACKAGES | 7



Carry Any Cargo

With just one cargo box, the Can-Am Traxter can hold 1,000 lbs (454 kg). That's thanks to a sturdy tailgate and smart storage, including easy to use LinQ guick-attach points. There's no itinerary this ride can't handle.



Maxxis Coronado 2.0[†] **Tires and Steel Wheels**

The Can-Am Traxter sits on 14 inch steel wheels with 27 inch Maxxis Coronado 2.0† tires. These tires are built to perform in any condition. Because the weather shouldn't get in the way of a ride. It should encourage one.

Our plastic plates glide smoothly and silently over obstacles, offering great protection in rough terrain. How do they do it? The abrasion-resistant thermoformed High Molecular Weight Polyethylene



Three Driving Modes

Drivers can select between three different driving modes on the Can-Am Traxter: ECO, ECO Off and Work. Each one allows the driver to adapt to the riding conditions. Modes vary in speed, torque, and throttle response so riders can pick with purpose.

TRAXTER XT HD10

HIGHLIGHTS

ENGINE

Rear

TOUGH	 Heavy-duty Rotax[®] engine Smooth, durable and responsive transmission True Can-Am DNA with a strong identity 	SPECIFIC TO TRAXTER XT HD10 PACKAGE	• 64 in. (1 • Visco-L • 14 in. (3
CAPABLE	Work or ride with confidence Meaningful and versatile functionality Easy handling and capabilities		VERSA- XT seat HMWP8 4,500-lb
CLEVER	 Advanced comfort and intuitive cockpit with optimized visibility Multifunction cargo box with sturdy tailgate and smart storage 1-year maintenance free and easy access to key maintenance components 		XT front Full har Brake h
PLATFORM FEATURES	83 in. (211.5 cm) wheelbase 13 in. (33 cm) of ground clearance Dynamic Power Steering (DPS™) ECO™ / ECO™ Off / Work modes 2,500 lb (1136 kg) towing capacity Multifunction cargo box 27 in. (68.6 cm) Maxxis Bighorn 2.0† tires Rear differential with Turf mode 4.5 in. (11.4 cm) digital display	_	• Left and

(162.5 cm) wide with Arched A-arm -Lok† QE auto-locking front differential (35.6 cm) cast-aluminum wheels A-PRO bolster bench seat with reinforced at skin and adjustable driver seat /PE full skid plate)-Ib (2,041 kg) winch with roller fairlead ont bumper ard roof holding mechanism nd right sides mirrors

Туре	61 kW (82 hp) / 69 lb-ft, Rotax® 976 cc, V-twin, liquid cooled
Fuel Delivery System	Intelligent Throttle Control (iTC™) with Electronic Fuel Injection (EFI)
Transmission	PRO-TORQ CVT Transmission with Quick Response System (QRS), high airflow ventilation and Electronic Drive Belt Protection Extra-L / H / N / R / P
Drive Train	Selectable Turf Mode / 2WD / 4WD with Visco-Lok† QE auto-locking front differential
Driving Assistance	Electronic Hill Descent Control ECO™ / ECO™ Off / Work modes Brake Holding Mechanism
Power Steering	Dynamic Power Steering (DPS™)
SUSPENSIONS Front Suspension	Arched double A-arm / 11 in. (27.9 cm) travel
Front Shocks	Twin tube gas charged shocks
Rear Suspension	Arched TTA with external sway bar / 11 in. (27.9 cm) travel
Rear Shocks	Twin tube gas charged shocks
TIRES / WHEELS	
Front Tires	Maxxis Bighorn 2.0† 27 x 9 x 14 in. (68.6 x 22.9 x 35.6 cm)
Rear Tires	Maxxis Bighorn 2.0† 27 x 11 x 14 in. (68.6 x 27.9 x 35.6 cm)
Wheels	14 in. (35.6 cm) cast-aluminum
BRAKES	
Front	Dual 220 mm disc brakes with hydraulic twin-piston calipers

DIMENSIONS / CAPACITIES	
Cage	Profiled cage. ROPS approved
Estimated Dry Weight *	1,600.6 lb (726 kg)
LxWxH	125.7 x 64 x 80 in. (319.4 x 162.5 x 203.2 cm)
Wheelbase	83 in. (211.5 cm)

Dual 220 mm disc brakes

with hydraulic single-piston

calipers

Ground Clearance	13 in. (33 cm)
Cargo Box Dimensions	38 x 54.5 x 12 in. (96.5 x 138.4 x 30.5 cm)
Cargo Box Capacity	1,000 lb (454 kg)
Power tilt bed	N/A
Tailgate Load Capacity	250 lb (113.4 kg)
Storage Capacity	Total: 16.2 gal (61.3 L) Under dash: 6 gal (22.8 L) Waterproof and removable box under passenger seat: 5.6 gal (21 L) Dash: 2 gal (7.7 L) Water-resistant and removable toolbox: 1.7 gal (6.3 L) Armrests and cup holders: 0.9 gal (3.5 L)
Towing Capacity	2,500 lb (1136 kg)
Payload Capacity	1,500 lb (680 kg)
Fuel Capacity	10.6 gal (40 L)
Person Capacity	3

FEATURES	
Gauge	 4.5 in. (11.4 cm) wide digital display: Speedometer, tachometer, odometer, trip and hour meters, fuel, gear position, ECO™ / ECO™ Off / Work modes, seat belt and 4 x 4 indicator, front and rear diff lock indicators, diagnostics, clock, battery voltage, engine temperature
Battery	12-V (30 amp/h)
Magneto	650-W
Instrumentation	Lighter type DC outlets in the console (10-A) and two lighted USB port in the dash storage (10-A)
Lighting	140 W lighting output from four 35-W reflectors ensuring a wide visiblity and LED tail lights
Winch	4,500-lb (2,041 kg) winch with roller fairlead
Seat	VERSA-PRO bolster bench seat for additional lateral support with passenger seats flipping up, adjustable driver seat, underside hooks, reinforced XT seat skin and contoured bench to improve entrance/exit of the cab
Steering Wheel	Adjustable tilt steering
Protection	XT front bumper HMWPE full skid plate Full hard roof
Hitch Type	2-in hitch receiver
WARRANTY	
Factory warranty	2-year BRP limited warranty



Hyper Silver

FEATURE HIGHLIGHTS



Remarkable Rotax Engine

Get a load of the HD10 engine with industry-leading torque of up to 69 Ib-ft. The Can-Am Traxter XT delivers a quieter cockpit with low-intensity sound that's easy on the ears. This ride is built for long hours of hard work.





Maxxis Coronado 2.0⁺ Tires Pick-Up Style Seats and Steel Wheels

The Can-Am Traxter XT sits on 14 inch cast-aluminum wheels with 27 inch Maxxis Bighorn 2.0 (HD10 tires built to perform in any condition. Because the weather shouldn't get in the way of a ride. It should encourage one.

Dual VERSA-PRO 40/20/40 bolster bench seat for additional lateral support, inspired by modern pick-up trucks. The passenger seats flip up and have underside hooks for extra storage. Contoured bench seats with better bolsters aren't just for comfort. They improve the entrance and exit of the cab.

VEHICLE SPECIFICATIONS - KEY PACKAGES | 9



Tow Like a Pro

The Can-Am Traxter XT can tow up to 2,500 lbs (1,136 kg). Strong engine, profiled chassis cage, and compact, hard working suspension. Add Electronic Hill Descent Control and Work Mode driving assistance technology to the mix, and that's an effortless 2,500.



Carry Any Cargo

With just one cargo box, the Can-Am Traxter XT can hold 1,000 Ibs (454 kg). That's thanks to a sturdy tailgate and smart storage, including easy to use LinQ guick-attach points. There's no itinerary this ride can't handle.



Power Out of a Jam

The 4,500-lb (2,041 kg) integrated winch with roller fairlead engages with the flick of a switch to dominate the most difficult tasks. Effective for vehicle recovery, hunting trips, clearing brush, and at the job site. It's one of the most powerful tools built into the Traxter XT.



Protection Where It Counts

This model sports a full hard roof, XT front bumper, and High Molecular Weight Polyethylene (HMWPE) full skid plate. So no matter the terrain or weather, these beauties are protected from the worst of it.

ACCESSORIES



ACCESSORIES

Roofs Cabs Windshields & Mirrors Doors Rear Wind Protection Aluminum Skid Plates Bumpers & Guards LinQ®: Easy On, Easy Off Cargo Cargo & Storage Racks & Holders

Lights
Audio & Communication Systems
Electronic Accessories
Winches & Hitches
Seats
Performance
Apache Track Systems
ProMount Plows
Covers & Add-Ons
Tires & Rims

25

30

33

36

39

40

43

46


47

50

52

56

56



MAKE ALL WORK LIGHT WORK.

FIT AND COMPATIBILITY

For us, innovation is a no-brainer. All our accessories work together, right out of the box. So take your pick. Then pick some more.

STYLE AND VISION

百

1 ISC

4

and the second state and

We've upped the ante when it comes to accessories. Not just designed to look good, but perform right for real riders. All killer, no filler.

QUALITY AND RELIABILITY

Our Can-Am accessories are made right the first time. And to top it off we threw in a 1-year warranty. You're welcome. Install them yourself or at an authorized dealer.

BRP 2-YEAR LIMITED WARRANTY*

For new Can-Am accessories, genuine parts, and co-branded products sold through BRP. Includes items installed by you or an authorized BRP dealer.



ed warranty. Other exclusions may apply, the warranty is subject to the exclusions, limitations of liabilities and all other terms warranty or contact your Can-Am Off-Road authorized dealer. Applies only to BRP-made products or co-branded products R dealership/distributor or from a BRP-authorized online store. Unless otherwise stipulated or required by law. This limited anty does not apply on Evinrude parts and accessories. This limited warranty is effective as of March 1, 2016.

ROOFS

		Traxter	715002430		
Sport Roof		Traxter MAX	715003038		
	 Robust injection-molded polypropylene construction. Provides added protection for rider and passenger from the elements. 				
Deluxe Sport Roof		Traxter	715002511		
(Not illustrated)		Traxter MAX	715003039		
	 Complete roof kit provides extra and also diminishes noise withir Perfect fit and finish thanks to th Rear Roof Liner is not compatible 	the cab. e seal kit and the liners included.	Includes - Sport Roof - Sport Roof Seal Kit - Front Roof Liner - Rear Roof Liner		
Sport Roof Seal Kit		Traxter	715003126		
(Not illustrated)		Traxter MAX	715003583		
	 Necessary when installing individual cab components with Sport Roof or when installing the Front and Rear Roof Liners. 				
		Traxter	715003418 · Black		
Bimini Roof with Sun Visor		Traxter MAX	715003030 · Black		
	 Quick and easy installation. 		soft top and mounting of Light Rack.		
Front Roof Liner		Traxter, Traxter MAX	71508226		
	 Vehicle enhancement. Integrates seamlessly with roof-mounted light switch. Required for installation of roof-mounted lights and audio systems. Allows a better integration of Windshield Wiper and Washer Kit. Seal kit necessary when installing with Sport Roof. 				
		Traxter [†]	715006334		
Rear Roof Liner		Traxter MAX [‡] (Not illustrated)	715006391		
	 Quick and easy vehicle enhance Allows better integration of othe Seal Kit necessary when installing 	r accessories installed on the roof.			
	tNeeds to be installed with Sport Roof (715002430)				

†Needs to be installed with Sport Roof (715002430). ‡Needs to be installed with Sport Roof (715003038).

CABS

Cab Enclosure		Traxter XT		715006333	
	 Rigid cab enclosure ideal for Trate come stock with a roof, but also to models with the addition of a root Offers good driver and passenge elements. Rear Wind Protection Installation required for installation on 2020 'Not EC compliant. Not compliant models. 	fits on Base and DPS of. er protection from the n Seal Kit (715006705) is Traxter models.	- Full D - Rear V - Insula - Windo - Roof I	ed: lass Windshield. oors with Power Win Window. titon Acoustic Kit. ow Harness. Power Cable Kit. Enclosure Roof Seal	
		Traxter 2020 and up (except X mr models)		715007269	
Clear Rigid Cab		Traxter MAX		715007270	
	- Front Clear Rigid Doors - Sport Roof - Flip Glass Windshield - Rear Polycarbonate Window - Sport Roof Seal Kit	models.			
	Traxter	715008607			
Premium Rigid Cab Enclosure	(except X mr models)	715006330 Rear Glass W	Vindow w	ith Sliding Panel	
	passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer.	Not EC compliant. Not ompliant with T-category nodels. ncludes: Deluxe Sport Roof Kit Flip Glass Windshield with Wiper and Washer Kit	Wind - Rear (oors with Power ows Glass Window nal Insulation Kit	- Wiper and Powered Windows Cable - Roof Power Cable - Rigid Cab Seal Kit.
	1	1			
Dromium Digid Cab Fastarium	Traxter MAX	715008608	lin di		
Premium Rigid Cab Enclosure	(except X mr models)	715006332 Rear Glass W	Vindow w	ith Sliding Panel	
Premium Rigid Cab Enclosure	(except X mr models) Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer.		- Full D Wind - Rear (- Therr	oors with Power	- Wiper and Powered Windows Cable - Roof Power Cable - Rigid Cab Seal Kit.
Premium Rigid Cab Enclosure	(except X mr models) Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer.	715006332 Rear Glass W Not EC compliant. Not ompliant with T-category nodels. cludes: Deluxe Sport Roof Kit Flip Glass Windshield with Wiper and Washer	- Full D Wind - Rear (- Therr	oors with Power ows Glass Window nal Insulation Kit	Windows Cable - Roof Power Cable
	(except X mr models) Provides driver and passenger with the best protection from the elements and the cold, and features the most complete top-of-the-line accessories our product lineup has to offer.	715006332 Rear Glass W Not EC compliant. Not ompliant with T-category nodels. cludes: Deluxe Sport Roof Kit Flip Glass Windshield with Wiper and Washer	- Full D Wind - Rear (- Therr	oors with Power ows Glass Window nal Insulation Kit	Windows Cable - Roof Power Cable

(Not illustrated)		Tra
	Included:	
	- Sport Roof.	
	- Full Windshield - Hardcoated.	
Cab Insulation Kit (Not illustrated)		Traz
	 Neoprene insulation kit: A must 	for co
	 Helps keep the cold outside the (soft or rigid). 	cabin
	 Standard on XT Cab models 201 	8 and

axter XT	715006333
XT vehicles that on Base and DPS	 Included: Flip Glass Windshield.
otection from the	- Full Doors with Power Windows. - Rear Window.
al Kit (715006705) is kter models.	- Insulation Acoustic Kit. - Window Harness. - Roof Power Cable Kit.
ith T-category	- Hard Enclosure Roof Seal Kit.
axter 2020 and up xcept X mr models)	715007269
axter MAX	715007270

raxter	715008063
raxter MAX	715008064
- Soft D - Rear F	loors. Polycarbonate Window.
raxter (2019 & prior)	715004911
cold riding conditions. in and the heat inside when the ve	chicle is equiped with a complete cab enclosure
nd up.	

WINDSHIELDS & MIRRORS

WINDSHIELDS

Powerflip Windshield		Traxter, Traxter MAX		715003885
	 The PowerFlip Windshield is equ cylinders that allow the rider to a opening at the touch of a button. Windshield is made of hardcoate rubber seal contour and a tinted 	djust the windshield	fully clo and in l	fully opened for optimal visibility and ventilation, osed for maximum protection from the elements, between, you have an infinite number of opening ilities depending on protection, visibility and air flow ences.
	 Allows you to quickly adapt to ch adjusting the windshield as you get 		washe	tible with Can-Am roofs and windshield wiper and rkit.
		1	- NOLEC	
Flip Glass Windshield		Traxter, Traxter MAX		715002942
no series	 Curved and laminated glass full v in metal frame. 	windshield		ock-assisted operation and pivots on 2 hinges d at the top of the windshield.
	 Provides excellent optical clarity. 			or muddy conditions.
	Seals firmly against the cage and			used with Windshield
	passenger from the elements wh	nile allowing for	Wiper &	& Washer Kit (715001638).
	controlled air flow.		 Not EC 	compliant.
	 3-position flip can be set at fully or or fully open. 	closed, ¼ open,		
Flip Glass Windshield With Wipe	r & Washer Kit	Traxter, Traxter MAX		715002441
ready	 Curved and laminated glass full v frame. 	windshield in metal		ock-assisted operation and pivots on 2 hinges d at the top of the windshield.
	 Provides excellent optical clarity 		•	speed wiper with washer fluid dispenser.
	 Seals firmly against the cage and protects rider and passenger from the elements while allowing for controlled air flow. 		 Requires Wiper & Power Cable (710004462) and Power Cable (715003094). Not EC compliant. 	
•	 Flip windshield can be set fully cl according to your preference. 	losed or fully open	- NOLEC	compliant.
	 Ideal for muddy conditions. 			
Windshield Wiper & Washer Kit		Traxter, Traxter MAX		715001638
	 An ideal way to keep your windsh riding through mud and water. 	nield clear in rain, or while		es Wiper & Power Windows Cable (710004462) and Cable (715003094).
Á	 Includes single-speed wiper, washer fluid dispenser and windshield frame mount. 		Not EC compliant.	
	Must be used with the Glass Win Flip Glass Windshield (71500294 Windshield (715003885).			
Wiper & Power Windows Cable				
(Not illustrated)		Traxter, Traxter MAX		710004462
	Required to install Full Doors with Power Windows (715006331) and/or Windshield Wiper & Washer Kit (715001638).			
	 Necessary if you want to build you 	components.		
Flip Windshield – Hardcoated		Traxter, Traxter MAX		715002442
A A	 High-impact-resistant Makrolon¹ polycarbonate full windshield in 		 3-posit open. 	ion flip can be set at fully closed, ¼ open, or fully
	 Provides excellent optical clarity resistance. 	and better abrasion		ock-assisted operation. or muddy conditions.
	 Seals firmly against the cage and passenger from the elements wh air flow. 			-

Glass Windshield


· Curved and laminated glass full winds Seals firmly against the cage and prot passenger from the elements while pr optical clarity.

Full Windshield - Hardcoated



 High-impact-resistant Makrolon[†] hard · Provides excellent optical clarity and · Protects driver and passenger from th · Quick and easy tool-less installation of

Full Windshield



· High-impact-resistant durable polyca full windshield. · Formulated to be non-yellowing, noncracking with excellent UV resistance

optical clarity.

Half Windshield

 High-impact-resistant durable polyca half windshield. Formulated to be non-yellowing, non-cracking with excellent UV resistance optical clarity.

· Protects driver and passenger from the

ProVent Windshield



· High-impact-resistant Quantum hard polycarbonate full windshield. Optimal performance with Full Cab Er · Controllable vents to manage air flow Channels air into the cabin, defogs wi

to eliminate air flow.

Side Wind Deflectors




- Clear polycarbonate air deflectors mo the cage. • Not compatible with Full Doors. Sold in pairs.
- Compatible with all windshields.





Panoramic Center Mirror



· Can be used with or without roof or windshield and with cab enclosures.

Traxter, Traxter MAX		715001303
windshield in metal frame. I protects rider and hile providing excellent	(71500 conditi	e used with Windshield Wiper & Washer Kit 1638) to maintain clear visibility during severe riding ons. compliant.
Traxter, Traxter MAX		715002432
¹ hardcoated polycarbona and better abrasion resist om the elements. tion or removal.		isnieid.
Traxter, Traxter MAX		715002431
olycarbonate		ts driver and passenger from the elements.
non-crazing, non- tance and	• Quick a	and easy tool-less installation or removal.
Traxter, Traxter MAX		715002433
olycarbonate		es reverse angle lip to deflect air flow.
non-crazing, non- tance and		and easy tool-less installation or removal. mpatible with Soft Doors.
om the elements.		
Traxter, Traxter MAX		715005276
hardcoated ab Enclosure. flow. gs windshield, fully closes	 Provide resista Protect Quick a 	r vents and one upper vent (pre-filter installed). es excellent optical clarity and better abrasion nce. ts driver and passenger from the elements. and easy tool-less installation or removal. mpatible with wiper kits.
Traxter, Traxter MAX		715005081
rs mount on each side of	for cab is insta - 1. Out and - 2. Insi	adjusted at three different positions in air flow control when a full windshield
Traxter, Traxter MAX		715002459
irror.	 Not for 	road use.
-angle adjustment and	 Fits eit Sold in 	her side. dividually.
or.		
Traxter, Traxter MAX		715003638


DOORS

Front Full Doors with Power W	/indows	Traxter, Traxter MAX 202	2	715006331
	 Made from robust high-density p Offer excellent protection from tl Easy to remove on hot and sunny Lockable doors with convenient Doors' curved design provides et 	ne elements. days. integrated storage areas.	in the c • Power • Compa • Requir Power	inge wide opening for ease of ingress/egress cockpit. window delivers added ventilation. atible with all BRP windshields. e Wiper & Power Windows Cable (710004462), Roo Cable (715003094) and Seal Kit (715003126). C compliant. Not compliant with T-category models
Rear Full Doors		Traxter MAX 2022		715006329
	 Made from robust high-density p Offer excellent protection from til Easy to remove on hot and sunny Lockable doors with convenient Curved design provides even model 	ne elements. days. integrated storage areas.	in the o Pop-ou Requir Windo and Sp	inge opens wide for ease of ingress/egress sockpit. It window delivers added ventilation. e Front Doors (715006331), Wiper and Power ws Cables (710004462), Power Cable (715003094) ort Roof Seal Kit (715003583). compliant.
		Traxter (2 doors)		715006314
lalf Doors		Traxter MAX (4 doors)		715006316
Soft Doors		Traxter (2 doors) Traxter MAX (on models prior, models 2021 & up)	2018 &	715008059 715006318
	 Bestop designed soft doors for C Weather-resistant soft doors reir offer good protection from the el Made of heavy-duty UV-resistant 	forced with steel frame ements.	materia • Easily i	wn windows made of laminated polished vinyl al for added ventilation. removable on hot sunny days. tible with roofs and mirrors.
	resistance to tear and abrasion. • Rear hinge wide opening for ease	e of ingress/egress.	require	oor Installation Kit (715006238 / 2X for MAX) is ed for installation of 2019 & prior doors, on 2020 r models.
Front Clear Rigid Doors		e of ingress/egress. Traxter, Traxter MAX 202 up (except Xmr models)	require Traxte	ed for installation of 2019 & prior doors, on 2020
Front Clear Rigid Doors		Traxter, Traxter MAX 202 up (except Xmr models) doors for a robust yet e transparent panel unit. tempered-glass sliding	equire Traxter 0 and • EC- and to remicabins • Sealed in all w • Lockat	ed for installation of 2019 & prior doors, on 2020 r models. 715006261 d ROHVA-compliant for optimal safety, allowing you ove the stock side protection bar for increased
Front Clear Rigid Doors	 Rear hinge wide opening for ease Sturdy and compact steel-frame open field of view. Lower hardcoated polycarbonate maximizes visibility around your Upper portion composed of two 	Traxter, Traxter MAX 202 up (except Xmr models) doors for a robust yet e transparent panel unit. tempered-glass sliding	require Traxter 0 and • EC- an- to rem- cabin s - Sealed in all w • Lockat • Not co	ed for installation of 2019 & prior doors, on 2020 r models. 715006261 d ROHVA-compliant for optimal safety, allowing you ove the stock side protection bar for increased space. contour allows for improved rider comfort eather. ble doors for peace of mind.

Upper portion composed of two tempered-glass sliding windows for unmatched air circulation and versatility.

weather. Lockable doors for peace of mind.

REAR WIND PROTECTION



raxter, Traxter MAX (exc nr models)	cept X	715007080
ass. st or rain in harsh	installa	toof (715002430 or 715003038) required for tion. mpatible with Snorkel kit.
on.		

Fraxter, Traxter MAX (ex nr models)	cept X	715007079
ass. st or rain in harsh	 Sport R installa 	Roof (715002430 or 715003038) required for tion.
	 Not cor 	mpatible with Snorkel kit.


raxter, Traxter MAX (exc nr models)	ept X	715007081
e window. st or rain	for inst	toof (715002430 or 715003038) required allation. mpatible with Snorkel kit.

raxter, Traxter MAX 2019 & prior)	715002920
raxter, Traxter MAX 2020 & up)	715006680
ith steel frame offers	Resists cold cracking to -22°F (-30°C).
nvas for asion. olished	Installs quick and easily on roll cage. Not compatible with the Bimini Roof with Sun Visor.

raxter, Traxter MAX	715002851	
shield backdraft for	quick and easily on roll cage. Can-Am logo at top, to help maintain clear view.	

raxter, Traxter MAX		715003249	
hrough vinyl.	 Installs 	quick and easily on roll cage.	
and rain from	 White C clear vi 	Can-Am logo at top, to help maintain iew.	

ALUMINUM SKID PLATES



For ultimate durability and strength, all our Aluminum Skid Plates are made with High Strength 5052 H32 Aluminum ¾6" (4.5 mm) thick.

Ultimate durability High strength		TRAX	TER, TRAXTE	RMAX	
ngi otongai	2019 8	PRIOR		2020 & UP	
Offer your Traxter the full protection kit or get parts individually	Base, DPS, XT, XT-P, XT Cab 2017 & prior & Hunting Edition	XT Cab 2018-2019, Lone Star Edition & X mr	Base, DPS (HD5 & HD8), DPS (HD10 T-cat 2020), XT (HD8), PRO T-cat 2020 (HD8, HD10), XU (HD7 T-cat)	PRO DPS, PRO XT, DPS (HD10 except T-cat 2020), XT (HD10), XT-P, XU (HD10 T-cat) 2021 & up, XU (HD9 T-cat)	XT Cab, Hunting Edition, Lone Star Edition, Limited, & X mr
FULL PROTECTION KIT					
ALUMINUM SKID PLATE	715003711 (except MAX)	715006977 (3up)	715006694 (except MAX)	715006696 (3up & 6x6)	715006979 (3up)
PROTECTION KIT	715003712 (MAX only)	715006978 (MAX)	715006695 (MAX only)	715006697 (MAX & PRO)	715006980 (MAX)
INDIVIDUAL ALUMINUM SKID PLATES					
 Front A-Arm Protectors Extra underside protection for your vehicle's steering mechanism and suspension (A-Arm). Sold in pairs. Not compatible with Apache Track Systems. 	715008274	715006975	715008274	715008275	715006975
 Front Skid Plate Protects the front underside of your vehicle when riding in rough terrain conditions. Adds style to the front of your vehicle. 	715002447	715002447	715002447	715002447	715002447
 Central Skid Plate Central skid plate kit includes central and lateral skid plates. Ultra-durable protection for the underside of your vehicle. Makes work easy in more demanding terrain. Must be used with Underbelly Skid Plate Kit. 	715003467 (MAX only)	715003467 (MAX only)	715003467 (MAX only)	715003467 (MAX & PRO only)	715003467 (MAX only)
Underbelly Skid Plate Kit Ultra-durable protection for the underside of your vehicle. Makes work easy in more demanding terrain. Kit includes central, lateral and rear skid plates.	715002446	715002446	715007982	715007982	715007982
 Rear A-Arm Protectors Extra underside protection for your vehicle's suspension (A-Arm). Sold in pairs. Not compatible with Apache Track Systems. 	715002445	715006976	715002445	715004388	715006976

BUMPERS & GUARDS

		Traxter, Traxter MAX (2	010 8	715002418
		prior)	019 &	
Front Bumper		Traxter, Traxter MAX (2	020 & up)	715005754
TOT REAL	 Heavy-duty 1.5" (3.8 cm) diameter Provides enhanced protection. Inside and outside anti-corrosion of powder coat finish. 		 Require 	ed mounting points for lights. d to install the Xtreme Front Bumper Plates, Front d the Front Corner Protectors.
		Traxter, Traxter MAX (2 prior)†	019 &	715003005
Xtreme Front Bumper Plates		Traxter, Traxter MAX (2 up) [‡]	020 &	715005777
	 Made of high-strength heavy-gauge pads for increased protection. Inside and outside anti-corrosion of powder coat finish. 	-	Not com tRequire F	additional front-end protection. npatible with T-category models. Front Bumper (715002418) for installation. Front Bumper (715005754) for installation.
		Traxter, Traxter MAX (2 prior)†	019 &	715002833
Front Corner Protectors		Traxter, Traxter MAX (2 up) [‡]	020 &	715005774
	Inside and outside anti-corrosior powder coat finish.	Traxter, Traxter MAX (2	-	Front Bumper (715005754) for installation.
Rancher Front Bumper		prior) Traxter, Traxter MAX (2	020 & up)	715005410
	 The low front-end protection and pyour vehicle within cattle herds and both the vehicle and the animals. The flat front portion facilitates ge pushing light objects, e.g., closing The full frontage coverage extended layer of defense to your headlights 	d guard the safety of ntly prodding cattle or a fence. s to provide an extra	powder <u>Traxter, Tr</u> • Improve • Compat tire and	nd outside anti-corrosion coating with durable coat finish. <u>raxter MAX (2020 & up)</u> ed approach angle. ible with front rack, snow plows, track kits, winches. patible with T-category models.
XT Front Bumper		Traxter, Traxter MAX (2 prior)	019 &	715004407
	 1.5" (3.8 cm) diameter steel-tube Provides light-duty protection. Inside and outside anti-corrosior with durable powder coat finish. Light-kit compatible. 		 Not co 	ard on XT and XT Cab models 2018 and 2019. Impatible with Xtreme Front Bumper Plates, Front r Protectors or LinQ Front Rack.
XT-P Front Bumper		Traxter, Traxter MAX		715006145 · Silver
	 Heavy-duty 1.5" (3.8 cm) diameter Inside and outside anti-corrosion finish. Provides additional front body pr Integrated mount plate for auxilia 	n coating with durable otection.	reloca condit	Support Plate (705206371) is required for winch tion at a higher position for easier access in mudd ions (sold separately). ard on XT-P models.

axter, Traxter MAX (20 rior)	019 &	715002418	
axter, Traxter MAX (20	020 & up)	715005754	
el-tube construction.	 Integrate 	ed mounting points for lights.	
ing with durable		I to install the Xtreme Front Bumper Plates, Front I the Front Corner Protectors.	
axter, Traxter MAX (20 rior)†	019 &	715003005	
axter, Traxter MAX (20 p) [‡]	020 &	715005777	
teel with rubber	Provide a	additional front-end protection.	
		patible with T-category models.	
ting with durable	†Require Front Bumper (715002418) for installation.		
	‡Require Fi	ront Bumper (715005754) for installation.	
axter, Traxter MAX (20 ior)†	019 &	715002833	
axter, Traxter MAX (20 p) [‡]	020 &	715005774	
steel-tube	 Sold in 	pairs.	
nt corners. ating with durable		Front Bumper (715002418) for installation Front Bumper (715005754) for installation.	
axter, Traxter MAX (20	019 &	715002834	

raxter, Traxter MAX (201 rior)	9&	715004407	
nstruction.	 Standa 	rd on XT and XT Cab models 2018 and 2019.	
ating		npatible with Xtreme Front Bumper Plates, Front Protectors or LinQ Front Rack.	

22 | ACCESSORIES | BUMPERS & GUARDS

X mr Front Bumper		Traxter, Traxter MAX		715006143 · Black 715006144 · Green
	 Heavy-duty 1.5" (3.8 cm) diamete Inside and outside anti-corrosion finish. Provides additional front body pri- Integrated winch support plate for higher position for easier access for auxiliary lights. 	coating with durable otection. or winch relocation at a	 Standa 	es a front tow hook. rd on X mr models. sold separately.
Cargo Bed Protectors & Tie Rails		Traxter & PRO models		715005415
	 Heavy-duty 1.5" (3.8 cm) diamete Reliable cargo box protection and point to secure large loads. 			prrosion coating with durable powder coat finish. ed to stay in place when cargo bed side walls are ed.
Rear Bumper		Traxter, Traxter MAX, Tra PRO	xter	715008109
	 Heavy-duty 1.5" (3.8 cm) diameter integrated tubular design. Increased protection of rear box while allowing normal tailgate fur 	and lower box corner	 Inside a powde 	ted steps. and outside anti-corrosion coating with durable r-coat finish. ed to install Rear Body Side Protector (715003055)
Rear Bumper Adapter (Not illustrated)		Traxter PRO models		715006060
	Required to install the Rear Bump	ber on Traxter models with	the long b	00X.
Rear Body Side Protectors		Traxter, Traxter MAX (exc PRO)	ept	715003055
	 Heavy-duty 1.5" (3.8 cm) diamete Reliable cargo box protection. Inside and outside anti-corrosion powder coat finish. 		 Integra 	tible with fender flares. ted brush and low-lying branch deflector. e Rear Bumper for installation. pairs.

BODY SIDE PROTECTORS

Front Body Side Protectors



	Traxter, Traxter MAX		715003450
 Heavy-duty 1.25" (3.2 cm) diamet construction. Front side protection for farm, rat applications. Offer complete front body protection 	nch and forestry	Front C Rock S	pairs. 9 Front Bumper (715002418 or 715005754) with 5 orner Protectors (715002833 or 715005774) and lider (715002569 or 715003040 for MAX models) allation.
 Inside and outside anti-corrosion powder coat finish. 	coating with durable		


Traxter, Traxter MAX



 Heavy-duty 1.25" (3.2 cm) diameter steel-tube construction. • Front side protection for farm, ranch and forestry applications. Offer complete front body protection.

715003617 Inside and outside anti-corrosion coating with durable powder coat finish. Sold in pairs. • Require Rancher Bumper and Rock Sliders for installation. FENDER FLARES

Fender Flares



 Robust injection-molded polypropylene · Perfect for keeping mud and debris out · Include front and rear extension, and all Ideal for track equipped vehicles.



Sport Fender Flares



 Sleek fender flares just the right size Robust injection-molded polypropyle Include front and rear extension, and

ROCK SLIDERS



· Heavy-duty rock sliders made of painte with an integrated step for elevated ca Protect vehicle's sides and undercarriage against large obstacles. Lodge tight up against vehicle body for better clearance from obstacles. Not compatible with other rock sliders.

Sold in pairs.

Rock Sliders



 Protect vehicle's sides and undercarriage against large obstacles. Made of heavy-duty 1.5" (3.8 cm) diameter steel tubing. Inside and outside anti-corrosion coating with durable powder coat finish. Integrated step for easy cargo box access. Sold in pairs.

MUD FLAPS

Mud Flaps





Keep mud and debris out of cargo area and protect trailer or vehicles behind you. Add aesthetic appeal to your vehicle.

 Made of EPDM rubber. Require Rear Bumper for installation.

Sold in pairs.

raxter (except PRO), Traxter IAX	715006821
raxter PRO	715006001
e construction. tside the vehicle. Il mounting hardware.	
raxter (except PRO), Traxter IAX	715003898
e to reduce mud and debris kick-u	p from your tires.
ene construction.	
d all mounting hardware.	

Traxter (2019 & prior)	715004409 · Black
Traxter MAX (2019 & prior)	715005020 · Black
Traxter (2020 & up)	715006671 · Black
	715006675 · Manta Green
	715006672 · Red
raxter	715006674 · Silver
2020 & up)	715006673 · Yellow
raxter MAX 2020 Traxter PRO	715006721 · Black

Standard on Traxter X mr, Traxter MAX X mr and Traxter XT-P models.

Traxter	715002569	
Traxter MAX, Traxter PRO	715003040	

Traxter, Traxter MAX 715003041

S3 FOR CAN-AM				
S3 Front Winch Bumper		Traxter, Traxter MAX (201 prior)	9 &	 715003779 · Black 715005092 · Sunburst Yellow
	 Made of 1.5" (3.8 cm) diameter st powder coat finish. Specifically developed for mud ri Integrated mounting plates acco Allows higher winch position to a mud. 	ding enthusiasts. mmodate all winches.	 Not con Mount Plow P "S3 for Winch 	body protection. mpatible with LinQ Front Rack, Removable Winch ing Kit, Super-Duty Plow Push Frame Extension an ulley. Can-Am" branded. not included. mpatible with T-category models.
S3 Rear Winch Bumper		Traxter, Traxter MAX (201 prior)	9 &	 715003782 · Black 715005123 · Sunburst Yellow
	 Made of 1.5" (3.8 cm) diameter st powder coat finish. Specifically developed for mud ri Integrated mounting plates for w points. Added body protection. 	ding enthusiasts.	Remov Compa Harnes	mpatible with Apache 360 LT Track System and rable Winch Mounting Kit. atible with Traxter winches (Rear Winch Electrical ss required). Can-Am" branded.
Rear Winch Electrical Harness (Not illustrated)		Traxter, Traxter MAX (201 prior)	9 &	715004233
	Required for the installation of a Compatible with complete Traxte		h Bumper	с.
		Traxter Traxter MAX, Traxter PRC)	 715003783 · Black 715005094 · Sunburst Yellow 715004349 · Black
S3 Nerf Bars		Traxter MAX, Traxter PRC)	715005124 · Sunburst Yellow
	 Made of 1.5" (3.8 cm) diameter st powder coat finish. Specifically developed for mud ri Protect vehicle's lower sides with clearance. 	ding enthusiasts.	 Not con Ranche System 	ted step makes ingress easier. mpatible with Front Body Side Protectors, Front er Body Side Protectors and Apache 360 LT Track n. Can-Am" branded.

LinQ: EASY ON, EASY OFF CARGO

TRA LinQ

- No tool
- access

- Equip y Sturdy
- roughe

TRAXTER'S	MOUNTING	LOCATION AND REQU	JIREMENTS
LinQ ACCESSORIES • No tools needed: Quickly install and remove accessories by hand • Equip your Can-Am for specialized tasks in no time • Sturdy mounting system that holds up to the roughest terrain	Cargo Bed (long box bed LinQ)	LinQ Cargo Rack 715006140	Adventure Roof Rack 715003870 / 715004391
LinQ ACCESSORIES WITH 16" BASE	 Lower loading capacity that 	inches apart, center-to-center. In the LinQ with 36" base acce IV and SSV vehicles, Can-Am S i-Doo snowmobiles.	ssories.
LinQ 4.2 Gal Cooler 295100698 • Grey 219400964 • Black		LinQ Base Installation Kit 715008125	No Compatibility
LinQ Tool Kit 715006829			
LinQ Tool Box 715008111			
LinQ SR 5.5 Gal (21 L) Bag 860202449	LinQ Base Installation Kit		No further requirements
LinQ 4.5 Gal (17 L) Sport Bag 860202447	715008125	No further requirements	
LinQ Modular Box 715005494 • (10 L) 715007112 • (20 L) 715006830 • (30 L)			
LinQ Dry Bag 715008110			No Compatibility
LinQ ACCESSORIES WITH 36" BASE		used by Can-Am ORV vehicles an the LinQ with 16" base acce 1 ORV vehicles.	
LinQ 12 Gal (45 L) Cargo Box 715003879			
LinQ 23 Gal (86 L) Trunk Box 715004923			No further requirements
LinQ 11.5 Gal (43 L) Audio Cargo Box 715003018			
LinQ 8 Gal (30 L) Cooler Box 715004778 • Black 715004698 • Grey	No Compatibility	No further requirements	No Compatibility
LinQ Premium Storage Bag by OGIO [†] 715002923 • Black 715003248 • Camo			
LinQ Heavy Duty Basket 715001215			No further requirements
LinQ Low Profile Basket 715004282			
LinQ HOLDERS			
LinQ Gear Grips 715005340	Nofurther	Nofurther	Side wall installation
LinQ Tool Holder 715007358	No further requirements	No further requirements	LinQ Adaptors 715003058


			715005494 · (10 L)
			715005494 • (10 L) 715007112 • (20 L)
LinQ Modular Box		Traxter, Traxter MAX	715006830 • (30 L)
Re-	 Allows stacking of other m Always have the right box s Can be installed on any Lin See table for installation log 	Q base with a 16" width.	right gear accessible.
Thermal Insert For LinQ Modu	lar Box (10 L)	Traxter, Traxter MAX	219401110
	 Insulated liner. Fits very well in the LinQ M Can contain five 473 ml car 		
LinQ Tool Box		Traxter, Traxter MAX	715004301
	 5 Gal (19 L) maximum capac Weather-resistant, sealed ar Easy one-second on/off tool All the benefits of LinQ—sim See table for installation local 	nd lockable cover. -less system. nple, fast and secure.	
LinQ Tool Kit		Traxter, Traxter MAX	715006829
	 Includes: Cutter pliers. Long-nose pliers. Locking plier. Ratchet wrench %" drive. 6" ratchet extension. Integrated CVT belt storage location (belt not included). 	 Long-socket 19 mm %" drive - 6pts. Socket 18 mm %" drive. Long-socket 17 mm %" drive - 6pts. Socket 15 mm %" drive. Socket 13 mm %" drive. Socket 10 mm %" drive. 	 Socket 8 mm %" drive. Combined wrench 19 mm. Combined wrench 18 mm. Combined wrench 18 mm. Combined wrench 15 mm. Combined wrench 13 mm. Combined wrench 10 mm. Combined wrench 8 mm.
LinQ 4.2 Gal (16 L) Cooler		Traxter, Traxter MAX	■ 219400964 • Black 295100698 • Grey
CT T	 Premium-quality foam insula 	r exceptional rigidity and durabil ation for optimal ice retention. (Patent US 8777531 and US 887 -less system.	
LinQ SR 5.5 Gal (21 L) Bag		Traxter, Traxter MAX	860202449
	 Semi-rigid expandable bag 5.5 Gal (21 L) capacity. See table for installation log 		
LinQ 4.5 Gal (17 L) Sport Bag		Traxter, Traxter MAX	860202447
	 4.5 Gal (17 L) capacity. Rigid bottom, semi-rigid to See table for installation loss 		

LinQ ACCESSORIES WITH 16" BASE LinQ Dry Bag lт · Fully waterproof roll-top dry bag will LinQ mounted using heavy-duty rigid • High capacity storage solution (40 L) Ling Bottom foam liner for additional equip Integrated handle for easy transporta · Sea-doo: marinized LinQ for salt wate · See table for installation location and LinQ ACCESSORIES WITH 36" BASE LinQ 12 Gal (45 L) Cargo Box · Holds cargo safely and securely whil See table for installation location and LinQ 23 Gal (86 L) Trunk Box т Lockable and weather-resistant. Holds cargo safely and securely while See table for installation location and LinQ 11.5 Gal (43 L) Audio Cargo Box | Tr An affordable and quick solution for a The rear installation does not use up Mounts on/off easily to hold/carry ca The Bluetooth enabled receiver and 6 Automatic shut-off function protects Backlit control panel perfect for night Water-resistant speakers. See table for installation location and LinQ 8 Gal (30 L) Cooler Box Tr · Installs without vehicle modification. Rotomolded construction provides et · Premium-quality foam insulation for c Integrated, fully-removable comparts Robust rubber latches keep the cover • Weather-resistant. Convenient drain plug. See table for installation location and LinQ Premium Storage Bag by OGIO • 17.2 Gal (65 L) capacity semi-rigid ca · Buckle and elastic closure with a rub 3-section lid for partial or full access Inside separators for optimal bag org See table for installation location and

raxter, Traxter MAX	715008110
securely store and confine your e d plastic base.). ipment protection. ation on/off the vehicle. er uses. d requirements.	equipment.
raxter, Traxter MAX	715003879
le riding. d requirements.	
raxter, Traxter MAX	715004923
le riding. d requirements.	
raxter, Traxter MAX	715003018
d requirements.	
raxter, Traxter MAX	■ 715004698 · Grey ■ 715004778 · Black
exceptional rigidity and durability. optimal ice retention. ment protects food. er tightly closed.	
d requirements.	
	715002923 · Black
raxter, Traxter MAX	T15003248 · Mossy Oak Break-Up Country Camo
argo bag ideal for carrying anythir ober seal that protects dust from a to your bag. ganization. d requirements.	ng you need on your vehicle.

28 | ACCESSORIES | LINQ: EASY ON, EASY OFF CARGO

LinQ Heavy-Duty Basket		Traxter, Traxter MAX	715001215
can un	 Made of high-strength, low-alloy See table for installation location 		
LinQ Low Profile Basket		Traxter, Traxter MAX	715004282
	 Low profile, open basket increas Perfect for easy access to tools, Multiple bungee cord and tie-dow Made of impact-resistant injecte See table for installation location 	rope, winch and plow accessories. wn anchor points. d polypropylene.	
		Traxter, Traxter MAX (except PRO models)	715002464
LinQ Tailgate Extension		Traxter PRO	715005412
	falling off the back. • Stores neatly out of the way and bed wall as a mini headache rack • Anti-corrosion coating with dura	offers additional cab area protection c.	g the bed wall while preventing larger items from a since it can be mounted upside down on the front efore January 2021.
LinQ Tire Holder		Traxter (except PRO models), Traxter MAX	715003448
	 Mounts on top of the bed walls u Compatible with Bed Wall Extend Uses BRP standard wheel bolt pa Accommodates BRP tires up to 2 	attern to mount tire (nuts included).	
LinQ Cargo Rack		Traxter, Traxter MAX	715006140
	 Strong, durable steel rack. Easy and tool-less installation thanks to the LinQ System. Allows the installation of LinQ accessories. 2 racks can be installed at the same time. Allows multi-level storage on cargo bed, accommodates 5 Gal (19 L) bucket. Helps keep cargo securely in place. Multiple bungee cord and tie-down anchor points. Kit includes LinQ Base. Provides more usable space in the cargo box. Extends vehicle cargo options. 		
		Traxter, Traxter MAX (2019 & prior)	715004312
LinQ Front Rack		Traxter, Traxter MAX (2020 & up)	715006064
	 Rugged looking front rack mounts on top of vehicle hood and provides additional storage. Heavy-duty 1.25" (3.2 cm) diameter steel-tube construction. Inside and outside anti-corrosion coating with durable powder coat finish. Flip-up configuration provides easy access to service area. Allows the installation of LinQ accessories (especially for use with LinQ Low Profile Basket [715004282]). Kit includes LinQ Base. Multiple bungee cord and tie-down anchor points. Requires Rancher Bumper (715002834/715005410) or Front Bumper (715002418 or 715005754) for installation. 		




- A great place to store tools while working in the field.
- Allows the installation of LinQ Low Profile Basket.

LINQ: EASY ON, EASY OFF CARGO | ACCESSORIES | 29

raxter, Traxter MAX	715007358
	Bed Wall Extender, Adventure Roof Rack and LinQ
raxter, Traxter MAX	715005340
	om 1" to 4" (2.5 cm to 10 cm) in diameter. and more.
	1
raxter, Traxter MAX bol Holder to the Bed Wall Extende	715003058
raxter, Traxter MAX	860201968
ories in place.	
ements. inQ Gear Grips.	
raxter, Traxter MAX	715008125
n any LinQ System accessory. ardware.	<u></u>
raxter, Traxter MAX	715001707

CARGO & STORAGE

Loadout Rack		Traxter, Traxter MAX	715005447
	 Multiple hooks and holes to hang Basket accommodates multiple l 	mid cab height to roof line. nt cargo with folding front and rear gitems both inside and outside the Ling positions. a a hanging storage net below the b	ack.
Hanging Storage Box Kit		Traxter, Traxter MAX	715005449
	 Versatile rack designed to hold a standard storage box. Fully adjustable, the rack can be tailored to hold the crates in multiple positions: Headache rack position, inside along the sidewall, and outside the box along the side wall. Includes Can-Am branded storage box. Exterior Cargo Reinforcement Panel is recommended when used outside of bed wall. 		
Can-Am Storage Box Not illustrated)		Traxter, Traxter MAX	708303237
	Conventional 13" x 13" plastic sto Perforated bottom allows water a		
Exterior Cargo Reinforcement P	anel		715006198
		e to further support and protect being storage box and/or gun and tool	d wall when in outward position. holder when installed outside of the bed wall (exc
Deluxe Headache Rack		Traxter, Traxter MAX	715002423
	 Protects cab components from c Increases box capacity when use Required to install the Bed Wall E Compatible with gear rail. 	ed in tandem with the Bed Wall Exte	nder (715002421).
Headache Rack		Traxter, Traxter MAX	715003873
	 Full rear roll cage coverage offer and the load in your cargo bed. Compatible with gear rail. Rack's open design helps mainta Not compatible with Bed Wall Ex 	in a clear rear view.	of defense between your head or cab's componer




 Increases box capacity. Quick and easy tool-less modularity. · Easily removable rear door can be latched open. Variable full or half height settings. Foldable top panels come off in seconds. Requires Deluxe Headache Rack (715002423).

Traxter, Traxter MAX (except Traxter PRO)

Traxter PRO models

715002421

715005411



CARGO & STORAGE | ACCESSORIES | 31

raxter 2018 & up (except Mossy ak Break-Up Country Camo lodel), Traxter MAX	715008306
r cargo box thoroughly.	
argo box.	
at exceed the box height.	
raxter, Traxter MAX	715004344
vill make sure you have your critic	al equipment where you need it.
nd clips on and off in a snap. ents remain safe and dry.	
routor Troutor MAX	715003314
raxter, Traxter MAX eat storage	/15003314
) storage capacity bin.	
nd comes with an integrated hand	lle.
raxter, Traxter MAX	715003399
capacity bin fits securely under th	
capacity bin fits securely under th	e driver's seat.
capacity bin fits securely under th	
capacity bin fits securely under th	e driver's seat.
capacity bin fits securely under th	e driver's seat.
capacity bin fits securely under th cess. ems, such as ropes, tow straps ar	e driver's seat. Ind winch accessories that are needed at a
capacity bin fits securely under th cess. ems, such as ropes, tow straps ar raxter, Traxter MAX apacity storage bin. nks cold.	e driver's seat. Ind winch accessories that are needed at a
capacity bin fits securely under th cess. ems, such as ropes, tow straps ar raxter, Traxter MAX apacity storage bin. nks cold. it with integrated handle.	e driver's seat. Ind winch accessories that are needed at a
capacity bin fits securely under th cess. ems, such as ropes, tow straps ar raxter, Traxter MAX apacity storage bin. nks cold.	e driver's seat. Ind winch accessories that are needed at a
capacity bin fits securely under th cess. ems, such as ropes, tow straps ar raxter, Traxter MAX apacity storage bin. nks cold. it with integrated handle.	e driver's seat. Ind winch accessories that are needed at a
capacity bin fits securely under th cess. ems, such as ropes, tow straps ar raxter, Traxter MAX apacity storage bin. nks cold. it with integrated handle.	e driver's seat. Ind winch accessories that are needed at a
capacity bin fits securely under th cess. ems, such as ropes, tow straps ar raxter, Traxter MAX apacity storage bin. hks cold. it with integrated handle. tion.	e driver's seat. Ind winch accessories that are needed at a 715003446 715003444
capacity bin fits securely under th cess. ems, such as ropes, tow straps ar raxter, Traxter MAX apacity storage bin. hks cold. it with integrated handle. tion.	e driver's seat. Ind winch accessories that are needed at a 715003446 715003444 ook.
capacity bin fits securely under th cess. ems, such as ropes, tow straps ar raxter, Traxter MAX apacity storage bin. hks cold. it with integrated handle. tion.	e driver's seat. Ind winch accessories that are needed at a 715003446 715003444 ook.
capacity bin fits securely under th cess. ems, such as ropes, tow straps ar raxter, Traxter MAX apacity storage bin. hks cold. it with integrated handle. tion. raxter (except PRO), Traxter IAX r cargo box while enhancing the I ating with durable powder coat fi el-tube construction. serve as a tie-down anchor for rop	e driver's seat. Ind winch accessories that are needed at a 715003446 715003444 ook. nish.
capacity bin fits securely under th cess. ems, such as ropes, tow straps ar raxter, Traxter MAX apacity storage bin. hks cold. it with integrated handle. tion. raxter (except PRO), Traxter IAX r cargo box while enhancing the I ating with durable powder coat fi	e driver's seat. Ind winch accessories that are needed at a 715003446 715003444 ook. nish.

Traxter (except PRO), Traxter MAX 715003445

Solid net designed to hook to the bottom of the cargo box for secure and compact confinement of your cargo.

ash Storage Compartment Net f	or Heating System	Traxter, Traxter MAX (2019 & prior)	715003544		
	Perfect for securing items in the To be installed when Lower Das	e dash storage area. shboard for Heating System is install	ed.	RACKS & H	IULDERS
ower Dashboard for Heating Sys	tem	Traxter, Traxter MAX (2019 & prior)	715003441		 Strong accessory bar allowing Holes for carabiners, duck decording LinQ anchors allow installation
	passenger to conveniently storeTo be installed when the Defrost	e small items in the dash. It, Heat & Ventilation System is instal rage Compartment Net for Heating S	ures a tablet that makes it possible for driver an led. ystem (715003544) to prevent the items placed		
ash Storage Compartment Nets		Traxter, Traxter MAX (except Limited models)	715003129	Adventure Roof Rack	
	 Perfect for securing items in the Not compatible with Defrost, He Sold in pairs. 	e dash storage area.			 Ideal cargo solution for packin Built with heavy-duty 1.25" (3.2 Modular LinQ support plates a Integrated mounting points for (6 front and 2 back) or a 39" (99 Features anchor points for spatian solution of the cargo Box Net or the Cargo
d Tool Box		Traxter, Traxter MAX	715003028		 Not compatible with Bimini Re
	 Rotomolded construction provi Features cup holders and integrit 	1	у.	Spare Tire Ratchet Tie-Downs	 3-way ratcheting tie-down str Designed to securely hold spatiation Adjustable to accommodate r Ratchet and junction ring made Required for spare tire attach
	• 3 sections.	Traxter, Traxter MAX go bag designed with vehicle's rear in	n mind to maximize potential storage.	LinQ Tool & Gun Holder	
ckrest Rear Storage	Weatherproof. Netting installs easily.	Traxter MAX	715003019		 2-in-1 holding rack can be use Includes 5 locations to secure with gunstock shaped moldin Easy to remove, install or reported to the attached at multiple p Recommended to use with the secure of the secure
	Made from polyester that won't Sold in pairs.	discolor.		Gun Boot 6.0 [†] Impact by Kolpin [†]	 Extra room for pistol-grip-typ Easily fits firearms up to 51" (1 Provides ample room for 2.4"
orage 2.6 Gal (10 L) Bag	 Roll-top dry bag for fully protect 	Traxter, Traxter MAX	269502121		 Hatchback design allows easy Snap-close cover with locking Ergonomically designed hand Designed to accommodate lef Requires Gear Rail and Gun Bo Includes removable, shock-ab for superior interior protection

axter, Traxter MAX	715005450
lation or hanging items off the ba ngers or other items.	ick.
any LinQ accessories.	
axter bads of up to 40 lb (18 kg).	715003870
axter MAX bads of up to 75 lb (34 kg).	715004391
ything you need to live your Off-F liameter steel tubing.	Road experience fully and completely.
or installation of most LinQ cargo	accessories.
can hold up to 8 pod-type LED li ED bar (front)—see table for con	
attachment.	
y. Box Elastic Net he rack.	
axter, Traxter MAX	28000606
l loop ends. s on accessories equipped with i ommon UTV tire sizes. urable zinc-plated steel. n Adventure Roof Rack.	ntegrated spare tire attachment points.
axter, Traxter MAX (except 6x6 nd PRO models)	715005466
on the job or on the hunt. tools and guns using rubber grip bottom. using our simple and secure LinC	os and retention straps at the top and a rubber mat
s along the cargo bed walls, facir	
ior Cargo Reinforcement Panel (715006198) when installed outside the bedwall.
axter, Traxter MAX	715001419
ons and small bipods.	
total length.	
n) scopes. ss.	
bility.	
molded attachment points for sli	ng.
right-hand bolt-action rifles and s	shotguns.
ount by Kolpin for installation.	
g foam and nylon Impact liner	

Compatible for dual mount with additional Gun Boot Mount.

34 | ACCESSORIES | RACKS & HOLDERS

Gun Boot Mount by Kolpin		Traxter, Traxter MAX	715001420
	 Fits one Kolpin Gun Boot 6.0 Impa Lightweight and extremely durab Easily adjustable without the use Offers precision gun angle adjust Requires Gear Rail for installation 	le. of any tools. tability.	
Additional Gun Boot Mount (Not illustrated)		Traxter, Traxter MAX	715001586
Dual Gun Holder		Traxter, Traxter MAX	715005265
		between driver and passenger. ion. r passenger. ole powder coat finish.	
Gear Rail		Traxter, Traxter MAX (except X mr models)	715003391
	 Universal mounting options for m Saw Press. Rail is made with heavy-duty 7-ga Mounts on roll bar. Includes one versatile Gear Rail M 	nuge extruded anodized black alumin Mount by Kolpin.	ips, Gun Boot 6.0, Gun Boot Mount and Universal
Gear Rail Adapter		Traxter, Traxter MAX (except X mr models)	715003392
	Allows the installation of gear rail	s directly onto the cargo box withou	t the need for a headache rack.
Gear Rail Mount by Kolpin		Traxter, Traxter MAX	715001422
	 Accessory bracket for mounting a Includes C-clamp and metal mou 	additional accessories to the Gear R nting brackets.	ail.
		T	715003133 · Black
Double Gun Bag		Traxter (except XT Cab, X mr models), Traxter MAX (except XT Cab and Limited package)	T15003134 · Mossy Oak Break-Up Country
Cont and	 while the thick interior padding prime of the second sec	rotects the guns from shocks. uns are readily accessible from both able center pocket that can be moun	ited on both sides of the bag, and extra front ails.



Traxter, Traxter MAX (except X mr models)

715001423

 Specially crafted for transporting your chainsaw securely and safely aboard your side-by-side vehicle. • Heavy-duty, black powder-coated metal bracket designed to attach any chainsaw model with up to a 20" (51 cm) bar.

raxter, Traxter MAX	715001421		
protect while providing a custom fit for a variety of items from 1" to 4" (2.5 cm to 10			

axter,	Traxter	MAX	
--------	---------	-----	--

715001427

• Easy, quick and secure bracket for your fuel pack that leaves plenty of room for your other gear.

LIGHTS


	2 FIND YOUR	3 CHOOSE YOUR LIGHTS			
MOUNT POINT	PLATFORM	10" (25 Cm) Double Stacked LED Bar	15" (38 cm) Double Stacked LED Bar	39" (99 cm) Double Stacked LED Bar	4" (10 cm) 3.5" (9 cm) Round LED LIGHTS LED Lights (Sold in pairs) (Sold in pairs)
Front Bumper Rancher Bumper XT Front Bumper	Traxter Traxter MAX 2019 & prior	715002933 PLUS 715002454 (Light Power Cable)	715002934 PLUS 715002454 (Light Power Cable)	N/A	715002935 (4" Round), 715003665 (3.5" Flood) or 715003666 (3.5" Spot) PLUS 715002454 (Light Power Cable)
X mr Front Bumper (w/o winch) X-TP Front Bumper	Traxter Traxter MAX 2020 & up	715002933 PLUS 715006034 (Light Power Cable)	715002934 PLUS 715006034 (Light Power Cable)	N/A	715002935 (4" Round), 715003665 (3.5" Flood) or 715003666 (3.5" Spot) PLUS 715006034 (Light Power Cable)
Light Rack or Light Bars "Roof Power Cable and Front Roof Liner may not be required if already installed with other	Traxter & Traxter MAX (Except XT Cab)	715002933 PLUS 715003094 (Roof Power Cable) & 715003098 (Front Roof Liner)	715002934 PLUS 715003094 (Roof Power Cable) & 715003098 (Front Roof Liner)	715006226 (Light Support Bar) PLUS 715004007 (39" Light Bar) PLUS 715005822 (Power Cable) & * 715003098 (Front Roof Liner)	715002935 (4" Round), 715003665 (3.5" Flood) or 715003666 (3.5" Spot) PLUS 715003094 (Roof Power Cable) & 715003098 (Front Roof Liner)
already installed with other accessories.	Traxter Traxter MAX XT Cab Limited	715002933	715002934	715006226 (Light Support Bar) PLUS 715004007 (39" Light Bar) PLUS 715005822 (Power Cable)	715002935 (4" Round), 715003665 (3.5" Flood) or 715003666 (3.5" Spot)
Adventure Roof Rack "Roof Power Cable may not be required if already installed with other accessories.	Traxter & Traxter MAX (Except XT Cab Llmited)	N/A	Front only: 715002934 PLUS 715003417 (Power Cable) & 715003094 (Roof Power Cable) & 715003098 (Front Roof Liner)	Front only: 715004007 PLUS 715005822 (Power Cable) & 715003094 (Roof Power Cable) & 715003098 (Front Roof Liner)	Front or Rear: 715002935 (4" Round), 715003666 (3.5" Flood) or 715003666 (3.5" Spot) PLUS 715003417 (Power Cable) & 715003094 (Roof Power Cable) & 715003098 (Front Roof Liner)
	Traxter, Traxter MAX XT Cab Limited	N/A	Front only: 715002934 PLUS 715003417 (Power Cable)	Front only: 715004007 PLUS 715005822 (Power Cable)	Front or Rear: 715002935 (4" Round), 715003666 (3.5" Flood) or 715003666 (3.5" Spot) PLUS 715003417 (Power Cable)
4 ORDER		ORDER ALL PART NUMBERS IN INTERSECTING BOX *Note: When installing more than one light kit, additional light power cable or mounting kit is required.			
Roof Power Cable (Not illustrated)	Required for insta	Ilation of some elect	xter, Traxter MAX	7150030 • Brings (194 power from the battery.

(Not illustrated)	Traxter, Traxter MAX	715003094
	Required for installation of some electrical accessories.	Brings power from the battery.
Light Kit Power Cable	Traxter, Traxter MAX (2019 & prior)	715002454
(Not illustrated)	Traxter, Traxter MAX (2020 & up	715006034
	Power cable for installation of compatible Can-Am light kits at from	t bumper location.


10" (25 cm) Double Stacked LED Light Bar (60 W)

ERREE	5,4
• Equipped with twelve 5 W Cree LEDs.	• Re
• 5,400 lumens.	• Lig
Packs a big punch for its size.	• No
 Rugged and waterproof. Can be installed on front bumpers, sport roof and Bimini roof with sun visor. 	- 110
15" (38 cm) Double Stacked LED Light Bar (90 W)	Tra
BARAAREE	8,4
• Equipped with 185 W Cree LEDs.	• Lig wio
 8,400 lumens. Complements the Light Racks and most bumpers. 	• No
Rugged and waterproof.	
39" (99 cm) Double Stacked LED Light Bar (270 W)	Tra
	24,
Equipped with 54 5 W Cree LEDs.	• No
• 24,300 lumens.	• Co
Not EC compliant	• Lig wie
4" (10 cm) Round LED Lights (2 x 25 W)	Tra
ø	1,8
• 25 W LED Spotlights.	• Ca
1,800 lumens.	• Re
Rugged and waterproof.	• Sol • No
 Includes basic wiring and switch. 	• INO
3.5" (9 cm) LED Driving Lights (2 x 14 W)	Tra
	1,2

 14 W LED lights producing 1,260 lumens each. 	 Features two
 Spot lens for a narrow and long light beam spread, ideal when driving at 	rotate to the n
higher speeds.	 Sold in pairs.
Equipped with six high-power LEDs in a heavy-duty die-cast aluminum housing.	 CE certified



38 | ACCESSORIES | LIGHTS





Traxter	715005206
Traxter MAX	715006879
oth Stereo Audio System offers mu	ulti-source input: AM/FM/WB and USB (iPod® and
display and buttons. d device (smartphone, MP3 player) iote turn-on. ice. with auto-store/pre-set scan.).
out. stant components.	
•	eluxe Sport Roof (715002511) and Power Cable

raxter, Traxter MAX 715002019 r speakers (2 front and 2 rear) and 4 black speaker boxes. raxter, Traxter MAX 715003095 utdoor speakers and black speaker box. raxter, Traxter MAX 715003440 - US only his kit includes: - 5-watt V3 Radio: UHF/VHF + FM Frequency, Programmable Channels, 5 watts of Power, Includes Belt Clip, Recharging Cable, High capacity, all day lithium-ion battery, 1-3 mile range, NOAA wather channels, 1-Touch FM radio, Backlit screen / buttons. - Helmet Speaker / Mic Kit: Clear Hear Audio Speakers, Full Flex Mic Boom, Cloth Mic Cover, Velcro Mount Speakers, Quick & Easy Install. - Harness & Cables: Single Person Harness, Driver Coil Cord PTT, Waterproof PTT, Radio Mounting Bracket, Complete Plug & Play Kit.					
raxter, Traxter MAX 715003095 utdoor speakers and black speaker box. raxter, Traxter MAX 715003440 • US only his kit includes: -5-watt V3 Radio: UHF/VHF + FM Frequency, Programmable Channels, 5 watts of Power, Includes Belt Clip, Recharging Cable, High capacity, all day lithium-ion battery, 1-3 mile range, NOAA weather channels, 1-Touch FM radio, Backlit screen / buttons. -Helmet Speaker / Mic Kit: Clear Hear Audio Speakers, Full Flex Mic Boom, Cloth Mic Cover, Velcro Mount Speakers, Quick & Easy Install. -Harness & Cables: Single Person Harness, Driver Coil Cord PTT, Waterproof PTT,	raxter, Traxter MAX	715002019			
utdoor speakers and black speaker box. raxter, Traxter MAX 715003440 • US only his kit includes: 5-watt V3 Radio: UHF/VHF + FM Frequency, Programmable Channels, 5 watts of Power, Includes Belt Clip, Recharging Cable, High capacity, all day lithium-ion battery, 1-3 mile range, NOAA weather channels, 1-Touch FM radio, Backlit screen / buttons. Helmet Speaker / Mic Kit: Clear Hear Audio Speakers, Full Flex Mic Boom, Cloth Mic Cover, Velcro Mount Speakers, Quick & Easy Install. Harness & Cables: Single Person Harness, Driver Coil Cord PTT, Waterproof PTT,	r speakers (2 front and 2 rear) and 4 black speaker boxes.				
raxter, Traxter MAX 715003440 • US only his kit includes: -5-watt V3 Radio: UHF/VHF + FM Frequency, Programmable Channels, 5 watts of Power, Includes Belt Clip, Recharging Cable, High capacity, all day lithium-ion battery, 1-3 mile range, NOAA weather channels, 1-Touch FM radio, Backlit screen / buttons. -Helmet Speaker / Mic Kit: Clear Hear Audio Speakers, Full Flex Mic Boom, Cloth Mic Cover, Velcro Mount Speakers, Quick & Easy Install. -Harness & Cables: Single Person Harness, Driver Coil Cord PTT, Waterproof PTT,	raxter, Traxter MAX	715003095			
his kit includes: -5-watt V3 Radio: UHF/VHF + FM Frequency, Programmable Channels, 5 watts of Power, Includes Belt Clip, Recharging Cable, High capacity, all day lithium-ion battery, 1-3 mile range, NOAA weather channels, 1-Touch FM radio, Backlit screen / buttons. - Helmet Speaker / Mic Kit: Clear Hear Audio Speakers, Full Flex Mic Boom, Cloth Mic Cover, Velcro Mount Speakers, Quick & Easy Install. - Harness & Cables: Single Person Harness, Driver Coil Cord PTT, Waterproof PTT,	utdoor speakers and black speake	er box.			
 5-watt V3 Radio: UHF/VHF + FM Frequency, Programmable Channels, 5 watts of Power, Includes Belt Clip, Recharging Cable, High capacity, all day lithium-ion battery, 1-3 mile range, NOAA weather channels, 1-Touch FM radio, Backlit screen / buttons. Helmet Speaker / Mic Kit: Clear Hear Audio Speakers, Full Flex Mic Boom, Cloth Mic Cover, Velcro Mount Speakers, Quick & Easy Install. Harness & Cables: Single Person Harness, Driver Coil Cord PTT, Waterproof PTT, 	raxter, Traxter MAX	715003440 • US only			
	 5-watt V3 Radio: UHF/VHF + FM Power, Includes Belt Clip, Recha battery, 1-3 mile range, NOAA w / buttons. Helmet Speaker / Mic Kit: Clear Mic Cover, Velcro Mount Speak Harness & Cables: Single Perso 	arging Cable, High capacity, all day lithium-ion veather channels, 1-Touch FM radio, Backlit screen Hear Audio Speakers, Full Flex Mic Boom, Cloth ers, Quick & Easy Install. n Harness, Driver Coil Cord PTT, Waterproof PTT,			

Traxter, Traxter MAX

715002891

· Specifically designed to facilitate clear in-vehicle communication between driver and passenger(s).

· Seamless integration with in-dash switch panel.

• May be synched with the Rugged Radios Car-To-Car System (715003440).




Quick Connect Battery Cable



· Quickly and easily connect and char Included in the Battery Charger/Mai Sold individually. Not available in Europe

Quick Connect Cable with Battery Indicator





3-Mode Switch



• Work mode: Reduced throttle sensiti Eco mode: Increased fuel economy. In-dash plug-and-play mount. Standard on 2020 models.

RAM GPS Mount



· Allows for GPS integration onto vehic Standard AMPS hole pattern for Gar

Digitally Encoded Security System (DESS[™]) Keys



 Top-security anti-theft protection for Encrypted chip technology restricts vehicle's electronic ignition system. • One vehicle/one code.


 A vibration/shock-resistant ball-andensures a reliable connection.

Tr

 Allows you to add a second 30Ah bat auxiliary electrical components like a Additional battery sold separately (51) · Equipped with an integrated smart ba your starting battery. Kit includes an additional battery jung

Rear 12V power outlet





USB Power Outlet Kit



 Dual port USB connectors. *The power outlet is not capable of rechard

arctic conditions. Ask your dealer for more information

	715005408
harge different batteries with your c Maintainer.	harger.
	715006055
harge different batteries with your c	harger.
onstant battery health indication.	
Traxter, Traxter MAX	715004445
l tly between normal/work/eco mode	s.
nsitivity for smoother acceleration a my.	nd reduced load impact.
	715003325
vehicle.	
Garmin Cradle.	
Traxter, Traxter MAX	715002458
	ammable modes: mode: Limits vehicle speed to 40 kph (25 mph)
em. but do	bes not limit engine torque.
and-socket design that and 5	al mode: Limits vehicle speed to 70 kph (44 mph) 0% torque reduction.
- Perfor	rmance mode: No restrictions.
Traxter, Traxter MAX (2019 & prior)	715003758
Traxter, Traxter MAX (2020 & up)	715006035
n battery for that dual battery setup the ike a sound system or winch.	hat will give you the extra juice you'll need to power
y (515176151). art battery isolator that will prevent v	our auxiliary electrical components from draining
/ junction block, all necessary wiring	
Traxter, Traxter MAX (2019 & prior)	715003846
argo box area.	
Traxter, Traxter MAX (2020 & up)	219400510
es while riding [*] (smartphone, MP3, h	eating gear, etc.).
charging all device types while riding.	

Defrost, Heat & Ventilation System	Traxter, Traxter MAX 2019 & prior (not compatible with HD5 Motoriza	ation)		715004917
	speed and in-dash adjustable temperature. Once in Adjustable/directional vents. the Low			ervice air filter. Istalled, you might want to add storage space with ver Dashboard for Heating System and Dash e Compartment Net for Heating System.
	Traxter Traxter MAX 2020 (except	Traxter PBO & HD5 model	s)	715005904
	Traxter, Traxter MAX 2020 (except Traxter PRO & HD5 models) Traxter, Traxter MAX 2022 (except XU models)			715008093
	Traxter, Traxter MAX 2022 (XU mod	dels only)		715008095
	Traxter. Traxter MAX 2021 (except	HD5 models)		715007353
	 Best integrated in-dash system o speeds and adjustable temperation Adjustable/directional vents can heat at specific areas. A total of 8 vents specially position occupant heating. 	ure. be closed to concentrate	 Include for the Dash S 	service air filter. ss the replacement lower dashboard compartment heating system. torage Compartment Net for Heating System is mended.
Heated Steering Wheel		Traxter, Traxter MAX		715003837
	 Ruggedly constructed steering w withstand cold conditions while to your hands. Perfect for making hand mobility e.g., hunting, manual farming. Replaces stock steering wheel. 	channeling heat directly	 Draws Heated require require (71000 Not EC 	includes the heated steering and in-dash switch. a maximum of 45W and 3.2A at 13.5V. Accessories Wiring Harness (710005757) is d on all models except XT Cab 2020 & up, which s Heated Accessories Wiring Harness 6036). compliant mpatible with T-category models
Radiator Winter Front		Traxter (2019 & prior)		715005108
Heated Grab Bar Cover		Traxter, Traxter MAX		715003835
	securely gripped during long cole • Easy to install and remove. • This kit includes the heated grab	esses of rough riding, this h d outings. bar cover and in-dash swi ness (710005757) is require ness (710006036).	tch.	ver will keep your passenger's hands warm and odels except XT Cab 2020 & up, which requires
	securely gripped during long col • Easy to install and remove. • This kit includes the heated grab • Heated Accessories Wiring Harn Heated Accessories Wiring Harn	esses of rough riding, this h d outings. bar cover and in-dash swi less (710005757) is require less (710006036).	tch. ed on all m	ver will keep your passenger's hands warm and odels except XT Cab 2020 & up, which requires 715006112
	securely gripped during long col • Easy to install and remove. • This kit includes the heated grab • Heated Accessories Wiring Harn	esses of rough riding, this h d outings. bar cover and in-dash swi bess (710005757) is require bess (710006036). Traxter, Traxter MAX the riding comfort. W you to control the r seat heater, foam sheet	 Heated require Heated require models Heated 	ver will keep your passenger's hands warm and odels except XT Cab 2020 & up, which requires 715006112 Accessories Wiring Harnes (710005757) is d for installation on front seat. A Accessories Wiring Harness (715006036) is d for installation on Traxter XT Cab and Limited
Heated Seat Harness for MAX M	securely gripped during long col- Easy to install and remove. This kit includes the heated grab Heated Accessories Wiring Harn Heated Accessories Wiring Harn 25W seat heater delivers chill-fre Hi/low temperature settings allor desired degree of warmth. This kit includes one carbon fiber and in-dash switch. Installs directly in the original sea	esses of rough riding, this h d outings. bar cover and in-dash swi bess (710005757) is require bess (710006036). Traxter, Traxter MAX the riding comfort. W you to control the r seat heater, foam sheet	 Heated require Heated require models Heated 	ver will keep your passenger's hands warm and nodels except XT Cab 2020 & up, which requires 715006112 Accessories Wiring Harnes (710005757) is red for installation on front seat. Accessories Wiring Harness (715006036) is red for installation on Traxter XT Cab and Limited s. Accessories Wiring Harness (715006004) is
leated Seat Heated Seat Harness for MAX M	securely gripped during long col- Easy to install and remove. This kit includes the heated grab Heated Accessories Wiring Harn Heated Accessories Wiring Harn 25W seat heater delivers chill-fre Hi/low temperature settings allor desired degree of warmth. This kit includes one carbon fiber and in-dash switch. Installs directly in the original sea	esses of rough riding, this h d outings. bar cover and in-dash swi less (710005757) is require less (710006036). Traxter, Traxter MAX er riding comfort. w you to control the r seat heater, foam sheet at cushion.	 Heated require Heated require Heated require 	ver will keep your passenger's hands warm and nodels except XT Cab 2020 & up, which requires 715006112 Accessories Wiring Harnes (710005757) is d for installation on front seat. Accessories Wiring Harness (715006036) is ed for installation on Traxter XT Cab and Limited s. Accessories Wiring Harness (715006004) is ed for installation on rear seats on MAX models.
Heated Seat Heated Seat Fleated Seat Harness for MAX M Not illustrated)	securely gripped during long col- Easy to install and remove. This kit includes the heated grab Heated Accessories Wiring Harn Heated Accessories Wiring Harn 25W seat heater delivers chill-fre Hi/low temperature settings allor desired degree of warmth. This kit includes one carbon fiber and in-dash switch. Installs directly in the original sea	esses of rough riding, this h d outings. bar cover and in-dash swi less (710005757) is require less (710006036). Traxter, Traxter MAX er riding comfort. w you to control the r seat heater, foam sheet at cushion.	 Heated require Heated require Heated require 	ver will keep your passenger's hands warm and nodels except XT Cab 2020 & up, which requires 715006112 Accessories Wiring Harnes (710005757) is d for installation on front seat. Accessories Wiring Harness (715006036) is ed for installation on Traxter XT Cab and Limited s. Accessories Wiring Harness (715006004) is ed for installation on rear seats on MAX models.
Heated Seat Heated Seat Weated Seat Harness for MAX M (Not illustrated)	securely gripped during long col- Easy to install and remove. This kit includes the heated grab Heated Accessories Wiring Harn Heated Accessories Wiring Harn 25W seat heater delivers chill-fre Hi/low temperature settings allor desired degree of warmth. This kit includes one carbon fiber and in-dash switch. Installs directly in the original sea	esses of rough riding, this h d outings. bar cover and in-dash swi less (710005757) is require less (710006036). Traxter, Traxter MAX er riding comfort. w you to control the r seat heater, foam sheet at cushion. Traxter MAX k up and operate rear heat Traxter, Traxter MAX le to maintain your agility.	 Heated require Heated require Heated require 	ver will keep your passenger's hands warm and odels except XT Cab 2020 & up, which requires 715006112 RACcessories Wiring Harnes (710005757) is ed for installation on front seat. I Accessories Wiring Harness (715006036) is ed for installation on Traxter XT Cab and Limited a. I Accessories Wiring Harness (715006004) is ed for installation on rear seats on MAX models. 715006004
Heated Seat Heated Seat Heated Seat Harness for MAX M (Not illustrated) Heated Visor Outlet Heated Accessories Wiring	securely gripped during long colu- Easy to install and remove. This kit includes the heated grab Heated Accessories Wiring Harn Heated Accessories Wiring Harn 25W seat heater delivers chill-fre Hi/low temperature settings allor desired degree of warmth. This kit includes one carbon fiber and in-dash switch. Installs directly in the original sea Iodel Electric harness required to hool Strategically positioned on vehic Optional visor outlet that delivers Quick and easy installation.	esses of rough riding, this h d outings. bar cover and in-dash swi bess (710005757) is require tess (710006036). Traxter, Traxter MAX ter riding comfort. wy ou to control the r seat heater, foam sheet at cushion. Traxter MAX k up and operate rear heater Traxter, Traxter MAX le to maintain your agility. s fog-free riding.	 Heated require Heated require Heated require 	ver will keep your passenger's hands warm and odels except XT Cab 2020 & up, which requires 715006112 RACcessories Wiring Harnes (710005757) is ed for installation on front seat. I Accessories Wiring Harness (715006036) is ed for installation on Traxter XT Cab and Limited a. I Accessories Wiring Harness (715006004) is ed for installation on rear seats on MAX models. 715006004
Heated Grab Bar Cover Heated Grab Bar Cover Heated Seat Heated Seat Heated Seat Harness for MAX M (Not illustrated) Heated Visor Outlet Heated Accessories Wiring Harness (Not illustrated)	securely gripped during long colu- Easy to install and remove. This kit includes the heated grab Heated Accessories Wiring Harn Heated Accessories Wiring Harn Heated Accessories Wiring Harn 25W seat heater delivers chill-fre Hi/low temperature settings allor desired degree of warmth. This kit includes one carbon fiber and in-dash switch. Installs directly in the original sea Iodel Electric harness required to hool Strategically positioned on vehic Optional visor outlet that delivers Quick and easy installation. Sold individually. Heated Visor not included. Traxter, Traxter MAX	esses of rough riding, this h doutings. bar cover and in-dash swi less (710005757) is require tess (71000636). Traxter, Traxter MAX er riding comfort. wyou to control the r seat heater, foam sheet at cushion. Traxter MAX k up and operate rear heat Traxter, Traxter MAX le to maintain your agility. s fog-free riding.	 Heated require Heated require Heated require 	ver will keep your passenger's hands warm and odels except XT Cab 2020 & up, which requires 715006112 Accessories Wiring Harnes (710005757) is df for installation on front seat. Accessories Wiring Harness (715006036) is df or installation on Traxter XT Cab and Limited s. Accessories Wiring Harness (715006004) is df or installation on rear seats on MAX models. 715006004 715001246

WINCHES & HITCHES

Cargo Bed Winch

Can-Am HD 4500 Winch		Traxter, Traxter MAX	715006416
	 Ergonomic clutch handle. Rugged all-steel gears and bushin durability. 	gs for more torque and	 Pulling strength capability of 4,500 lb (2,041 kg). 43' of ¹⁵/₆₄" (13.1 m of 6.3 mm) wire steel cable. Heavy-duty 4-way roller fairlead.
Can-am	 Automatic 100% load-holding brai Sealed solenoid for all-weather pro Weather sealed corded remote an EC compliant. 	otection.	Winch Electrical Harness (715008152) is required for installation on Base and DPS models.
Can-Am HD 4500-S Winch		Traxter, Traxter MAX	715006417
Contained Contained	 Ergonomic clutch handle. Rugged all-steel gears and bushi durability. Automatic 100% load-holding br. Sealed solenoid for all-weather p Weather sealed corded remote a 	ake. protection.	 Corrosion-proof aluminum hawse fairlead. Winch Electrical Harness (715008152) is required for installation on Base and DPS models.
		Traytor Traytor MAY	715006110
	Extreme IP68-rated waterproof s	Traxter, Traxter MAX	• Dash-mounted rocker control.
	Extreme IP68-rated waterproof s elements out. Durable all-metal construction.		Dash-mounted rocker control.
	elements out.	sealing keeps the	 Dash-mounted rocker control. Limited lifetime warranty (mechanical), 3-year warran (electrical). Pulling strength capability of 4,500 lb (2,041 kg).
WARN [†] VRX WINCHES VARN VRX 45 Winch	elements out. • Durable all-metal construction. • Black powder-coated finish and s	sealing keeps the	 Dash-mounted rocker control. Limited lifetime warranty (mechanical), 3-year warran (electrical). Pulling strength capability of 4,500 lb (2,041 kg). 50' of ¼" (15 m of 6.3 mm) wire steel cable. Roller fairlead.
	elements out. Durable all-metal construction. Black powder-coated finish and s for corrosion resistance. Robust new clutch design based 	sealing keeps the stainless steel fasteners I on 70+ years of ntrol.	 Dash-mounted rocker control. Limited lifetime warranty (mechanical), 3-year warran (electrical). Pulling strength capability of 4,500 lb (2,041 kg). 50' of ¼" (15 m of 6.3 mm) wire steel cable.
VARN VRX 45 Winch	 elements out. Durable all-metal construction. Black powder-coated finish and s for corrosion resistance. Robust new clutch design based Warn 4 WD hub lock know-how. Load-holding brake for great con Smooth and reliable all-metal thr 	sealing keeps the stainless steel fasteners I on 70+ years of ntrol.	 Dash-mounted rocker control. Limited lifetime warranty (mechanical), 3-year warran (electrical). Pulling strength capability of 4,500 lb (2,041 kg). 50' of ¼" (15 m of 6.3 mm) wire steel cable. Roller fairlead. Winch electrical harness (715008152) is required for
ARN VRX 45 Winch	 elements out. Durable all-metal construction. Black powder-coated finish and s for corrosion resistance. Robust new clutch design based Warn 4 WD hub lock know-how. Load-holding brake for great con Smooth and reliable all-metal thr 	sealing keeps the stainless steel fasteners I on 70+ years of htrol. ree-stage planetary gear	Dash-mounted rocker control. Limited lifetime warranty (mechanical), 3-year warran (electrical). Pulling strength capability of 4,500 lb (2,041 kg). 50' of ¼" (15 m of 6.3 mm) wire steel cable. Roller fairlead. Winch electrical harness (715008152) is required for installation. 715006111 Dash-mounted rocker control.
VARN VRX 45 Winch	elements out. Durable all-metal construction. Black powder-coated finish and s for corrosion resistance. Robust new clutch design based Warn 4 WD hub lock know-how. Load-holding brake for great com Smooth and reliable all-metal thr train. Extreme IP68-rated waterproof s elements out.	sealing keeps the stainless steel fasteners I on 70+ years of htrol. ree-stage planetary gear Traxter, Traxter MAX sealing keeps the	 Dash-mounted rocker control. Limited lifetime warranty (mechanical), 3-year warran (electrical). Pulling strength capability of 4,500 lb (2,041 kg). 50' of ¼" (15 m of 6.3 mm) wire steel cable. Roller fairlead. Winch electrical harness (715008152) is required for installation. 715006111 Dash-mounted rocker control. Limited lifetime warranty (mechanical), 3-year warran (electrical). Pulling strength capability of 4,500 lb (2,041 kg).
WARN [†] VRX WINCHES VARN VRX 45 Winch	elements out. Durable all-metal construction. Black powder-coated finish and s for corrosion resistance. Robust new clutch design based Warn 4 WD hub lock know-how. Load-holding brake for great com Smooth and reliable all-metal thr train. Extreme IP68-rated waterproof s elements out. Durable all-metal construction. Black powder-coated finish and s	ealing keeps the stainless steel fasteners I on 70+ years of trol. ee-stage planetary gear Traxter, Traxter MAX sealing keeps the stainless steel fasteners	Dash-mounted rocker control. Limited lifetime warranty (mechanical), 3-year warranty (electrical). Pulling strength capability of 4,500 lb (2,041 kg). 50' of ¼" (15 m of 6.3 mm) wire steel cable. Roller fairlead. Winch electrical harness (715008152) is required for installation. 715006111 Dash-mounted rocker control. Limited lifetime warranty (mechanical), 3-year warranty (electrical).

Tra

 Allows you to pull heavy loads into the Perfect for hunting applications, i.e., le Includes support base made of heavy tubing, winch and weather-sealed con • 750 lb (340 kg) maximum pulling capa

raxter, Traxter MAX	715006416
	 Pulling strength capability of 4,500 lb (2,041 kg).
for more torque and	 43' of ¹⁵/₆₄" (13.1 m of 6.3 mm) wire steel cable.
	 Heavy-duty 4-way roller fairlead.
ction.	 Winch Electrical Harness (715008152) is required for installation on Base and DPS models.
ash mounted switch.	
raxter, Traxter MAX	715006417
	 Pulling strength capability of 4,500 lb (2,041 kg).
s for more torque and	• 50' of 14" (15.2 m of 6.35 mm) synthetic rope.
	 Corrosion-proof aluminum hawse fairlead.
ection.	Winch Electrical Harness (715008152) is required for installation on Base and DPS models.

raxter, Traxter MAX	715006355			
he cargo box easily. , loading game.	 Electronic security module to prevent vehicle damage that could occur if loaded vehicle exceeds manufacturer's gross weight rating. 			
vy-duty 2" (5 cm) steel orded remote. pacity.	Adapter Kit (715004709) required for installation with Gear Rail Adapter.			
pacity.	 Requires Powertilt bed for Traxter 6x6 and PRO. 			
	 Not CE certified 			
	 Not available in Europe 			

44 | ACCESSORIES | WINCHES & HITCHES

Synthetic Winch Cable*	With Warn winch	h 7	05015070			With Can-Am HD winch	715008121	
	• 50' of ¼" (15.2 m of 6.35 mm) synthetic cable for Wa			Wired Remote Control		With Warn winch	710001002	
	Warn Hawse Fairlead is required when upgrading to a synthetic cable to avoid damage and premature wear of the cable.					add the hand-held remote to vehicle	es with a stock winch.	
	*Ask your dealer or visit canamoffroad.com for price details	ls.			 Works in conjunction with the m Remote control and connection 	socket are included with Can-Am H	ID winch	
					• EC compliant.			
Synthetic Winch Cable*	With Can-Am HD	D winch 7	15006430	Wireless Remote Control		With Warn winch (Traxter 2019 & prior)	715002542	
	• 50' of ¼" (15.2 m of 6.35 mm) synthetic cable for Car	an-Am HD winches.				install, thanks to a wiring harness w	vith an integrated antenna and all i	necessary
	Hawse Fairlead (715006426) required when upgrading to a synthetic cable to avoid premature cable damage and wear.				mounting hardware. • Allows you to operate your winch from anywhere within a 50' (15.2 m) radius, increasing your recovery options.			ryoptions
	*Ask your dealer or visit canamoffroad.com for price details	ls.			All components are weatherpro	•	in radius, increasing your recover	y options.
Synthetic Cable Extension		7	15001120	Drop Tow Bar		Traxter, Traxter MAX	715002521	
	• Lightweight ¼" (6.35 mm) diameter, easy to handle a	and won't rattle in ca	rgo box.		 Sturdy 2" (5 cm) ball-less tow ba 	ir.		
	Easily attaches to winch cable to provide additional	al 50' (15.2 m) of distar	nce.		Conveniently set at standard tra			
	• 4,500 lb (2,041 kg) single line capacity.				Requires Higher Front Receiver	Hitch (715003109).		
Replacement Wire Rope*	With Warn winch	h 7	15006699	Removable Winch Mounting Kit	t	Traxter, Traxter MAX (except Limited models)	715001652	
	• 55' of ¼" (16.8 m of 6.35 mm) wire rope for Warn win	nch kit.		and the second se	Allows you to remove your winc		and conveniently releasts a front (mounted winch to
	• 4,500 lb (2,041 kg) pulling strength.			3	the rear of the vehicle.	Itimount Winch Harness to quickly a	and conveniently relocate a front-	mounted which to
	*Ask your dealer or visit canamoffroad.com for price details	ls.		100	Not compatible for use with the Lower Front Receiver Hitch.			
					Requires Higher Front Receiver	Hitch (715003109).		
Replacement Wire Rope*	With Can-Am HD	D winch 7	05014978	Lower Front Receiver Hitch		Traxter, Traxter MAX	715002519	
-	• 43' of ¹⁵ ⁄4" (13.1 m of 6.3 mm) wire rope.	I				ving capacity 2" (5 cm) receiver hitc		ah Mauntina Kit
	4,500 lb (2,041 kg) pulling strength.				 Expand and enhance functional (need to relocate winch from its) 	lity by pairing it with Higher Front Re standard mounting position).	eceiver Hitch and Removable wind	ch wounting Kit
	*Ask your dealer or visit canamoffroad.com for price details	ls.						
				*				
Warn Hawse Fairlead*	With Warn winch	h 7	05208797	Higher Front Receiver Hitch		Traxter, Traxter MAX (except Limited models)	715003109	
	Double-powder-coated construction.	··· / ·			 Heavy-duty 1,500 lb (680 kg) tov 	ving capacity 2" (5 cm) receiver hitc	h.	
WARN	Required to use the Synthetic Winch Cable (705015070) on Warn winches.			 No need to relocate winch from its standard mounting position. 				
	 To be used with synthetic winch cables only. 							
				4				
Can-Am HD Hawse Fairlead	With Can-Am HD	Dwinch 7	15006426			Traxter, Traxter MAX (2019 & prior)	715003093	
	 A must when upgrading your winch with a synthetic 	ic cable, this corrosion	n-proof aluminum hawse fairlead will prevent the	Winch Electrical Harness		Traxter, Traxter MAX (2020 & 2021)	715007078	
	cable from snapping in a corner of a roller fairlead a roller guide.	and from wearing pre	maturely due to the rough surface of the worn	(Not illustrated)		Traxter, Traxter MAX 2022	715008152	
	 Must be used with synthetic cables only. 				 Required to install a winch on a 	Traxter without a factory-installed w	vinch.	
				Rubber Receiver Plug			705204503	
Roller Fairlead	With Can-Am HD	Dwinch 7	10007082	~	 Rubber cap for 2" (5 cm) Receive 	er Hitch.		
	Suggested when changing the wire rope.							
	 Heavy-duty replacement fairlead for winches. 			Mathematica)				
Multimount Winch Harness	Traxter	7	10004869					
(Not illustrated)	Traxter MAX, Tra	axter 6x6	10005082					
	Converts Removable Winch Mounting Kit into a practice	actical multimount wi	nch kit.					

WINCHES & HITCHES | ACCESSORIES | 45

SEATS

Central Headrest		Traxter, Traxter MAX	715005163
	 Front Headrests are available set 	position on 3-seated models and fo parately for front passengers on MA ssengers on some regulated trails.	or rear-center-seating position on MAX models. X models.
<i>ए</i>	Headrests are required for all passeng	ers on some regulated trails.	
Front Headrests		Traxter MAX	715005164
	 Additional headrest for all three f Central Headrest is available sep for rear-center-seating positions Headrests are required for all par on some regulated trails. Not EC compliant. 	on MÁX models.	els.
	Headrests are required for all passeng	ers on some regulated trails.	
			715004363 · Black/Can-Am Red
X mr / XT-P Bolster Seats		Traxter, Traxter MAX	715004678 · Black/Brown
		X models. t Covers.	rt for recreational riding. trol and enjoy your side-by-side vehicle to the fullest
Adjustable Driver's Seat		Traxter, Traxter MAX	715005519
	facilitated ingress/egress.	an added 3 in. (8 cm) of forward/rea	arward adjustability for increased comfort and lels.

PERFORMANCE

S3 Front High Clearance A-Arm		Contact y or visit of can-amo
A LA	Prevents A-Arm damage over roo Preserves factory ride quality an Not compatible with Apache 360 "S3 for Can-Am" branded.	d turning ra
S3 Rear High Clearance A-Arm		Contact or visit of can-amo
- Total	Prevents A-Arm damage over roo Preserves factory ride quality an Not compatible with Apache 360 "S3 for Can-Am" branded.	d turning ra
Brake Holding Mechanism		Traxter,
at the	 Maintains constant pressure on the transmission in P (park). Standard on all T-category mode 	
Heavy-Duty Spring Kit		Traxter (2 HD8 (202 2022 mo
	 This set of heavy-duty springs w Perfect for reducing vehicle over clearing. Complete kit of 4 springs. Not compatible with Traxter HDS 	rall sag whe
		Traxter (2 & XT mo
Front Heavy-Duty Springs		Traxter M DPS & X
COLLUMM COLLUMM	 This set of heavy-duty springs w Perfect for reducing vehicle sag Sold in pairs. 	
850 W Magneto Kit		Traxter, 1 & up)
	 Increases the magneto output to Includes rotor, stator and regulat 	

ontact your authorized deale	e
visit our online store at	
n-amoffroad.com	

715003784 · Black 715005116 · Sunburst Yellow

in.

1

radius without reducing performance.

System and Front A-Arm Protectors.

et your authorized dealer our online store at noffroad.com

715003785 · Black 715005118 · Sunburst Yellow

radius without reducing performance. System and Rear A-Arm Protectors.

raxter, Traxter MAX	715004733

e pedal to keep the vehicle from moving on sloped terrain, without having to put

HD10 XT (INTL models) & HD10 Xmr.

axter (2019 & prior), Traxter D8 (2020 & up), Traxter (select		
022 models)	715005084	

your suspension.

hen shocks are under heavy demand: heavy loading and hauling or for snow


, Mossy Oak Edition & X mr models and Traxter MAX.

axter (2018 & prior, Base, DPS XT models only)	715002450	
axter MAX (2018 & prior, Base, PS & XT models only)	715004280	

your suspension.


jobs like snow clearing or heavy load hauling.

raxter, Traxter MAX (2020 up)	715007122	
o W.		









raxter, Traxter MAX (except raxter HD5 and Traxter PRO)	715003727				
takes so vehicle can be semi-sul	omersed in water/mud without taking in water to				
ks, Gear Rail equipment, DragonF	ire Cargo Bed Roll Bar and Windshield Wiper &				
roof level air intake and CVT exh and Sealed Air Box (707800714) a	aust. are required for installation on 2017 and prior				
raxter, Traxter MAX	715004415				
e and CVT air intake. and help keep your intakes clear t	from mud, snow, dust, etc. in severe riding				
ind windows, Rear Cargo Light ar except for X mr models.	nd roof-mounted Rear View Camera.				
raxter and Traxter MAX 2017 & rior	715004414				
xel Kit (715003727) on Traxter 20 and hardware. idels.	17 and prior models.				
axter, Traxter MAX 2017 prior	707800714				
Kit (715003727) on Traxter and Traxter MAX 2017 and prior models. dels.					
raxter, Traxter MAX (except raxter PRO)	715005597				
in harsh riding conditions.					
005" (0.13 mm). Inty when tracks are installed.					
raxter (except X mr models), raxter MAX	715003483				
in harsh riding conditions.					
007" (0.19 mm).					
anty when tracks are installed. Jackcountry Track Systems.					
raxter, Traxter MAX	715003630				
iditions.					
or superior dust retaining capaci	ly with high air flow.				
raxter (except HD5 motoriza- on, X mr and PRO models), raxter MAX	715004183				
ed in the cab area.					
snow splashing from wheels or tr oped vehicles.	acks.				

APACHE TRACK SYSTEMS

WINTER TRACKS Traxter, Traxter MAX (except 6x6) Apache BackCountry LT track kit 715005891 Tracks designed to deliver the best snow performance on Aggressive track design with 2" (5 cm) lug height for the market with unmatched flotation level maximum traction on snow and traction on snow surface. Apache Backcountry LT Mounting Kit, Track DPS Module Large contact patch, 37% bigger than the Apache 360 LT. and Engine & CVT Pre-Filter are required. Impressive added ground clearance of 6.4" (16 cm) helps Fine-tune your track system using extra Idler Wheels, keep the vehicle over the snow. Sliders with Vespel Inserts and Rail Ice Scratcher. · Lightweight snowmobile-inspired rail design. For winter use only. 715005888 715005493 Apache Backcountry LT mount kit (Not illustrated) 715006196 Required for installation of the Apache Backcountry LT Track System. The CVT air intake relocation kit is MANDATORY for track-equipped 2020 & up Traxter models HD10 and highly recommended for other models. This kit is sold separately. DPS module and engine Pre-Filter are required and sold separately. · See table for fit, compatibility and requirements. Apache Backcountry Track System **Rail Ice Scratchers** 860201728 · Provide additional lubrication in hard and icy conditions and extend slider life. • Rail mounted, small, light. · Design expands on coil concept to allow reversing without damage. · Easily stored when not in use.



YEAR-ROUND TRACKS

Extra Wheel Kit Additional wheel kit for Backcountry LT rear tracks.

Apache Backcountry LT Wheel kit 715006293

· Reduces drag and rolling resistance in hard snow conditions or when transporting heavier loads.

· Extends slider life in hard snow conditions.

· Includes two wheels, cross shaft and mounting hardware per kit to service one track corner.

• Up to two kits per rear track can be installed.

APACHE BACK	COUNTRY LT FITTING GUIDE					
Model Year	Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2019 & Prior	Traxter Base, DPS, XT, XT Cab 2017 & Hunting Edition, XT-P		715005888			
2019 & Prior	Traxter XT Cab 2018-2019, Lone Star Edition & X mr		715006196	•		
2020 & up	Base, DPS (HD5 & HD8), DPS (HD10 T-cat 2020), XT (HD8), PRO T-cat 2020 (HD8, HD10), XU (HD7 T-cat)	715005891	715005888	715007338	715003483 715004183 (except X mr)	715005597 (and X mr)
2020 & up	PRO DPS, PRO XT, DPS (HD10 except T-cat 2020), XT (HD10), XT-P, XU (HD10 T-cat) 2021 & up, XU (HD9 T-cat)		715005493			
2020 & up	Traxter XT cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star		715006196			


APACHE 360 LT F	ITTING GUIDE					
Model Year	Model	Track	Track Mount	Track DPS Module	Prefilter without Snorkel	Prefilter with Snorkel
2019 & Prior	Traxter Base, DPS, XT, XT Cab 2017 & Hunting Edition		715004831			
2019 & Prior	Traxter XT Cab 2018-2019, Lone Star Edition & X mr		715004832			
2020 & up	Base, DPS (HD5 & HD8), DPS (HD10 T-cat 2020), XT (HD8), PRO T-cat 2020 (HD8, HD10), XU (HD7 T-cat)	715005103	715004831	715007338	715003483 715004183 (except X mr)	715005597 (and X mr)
2020 & up	PRO DPS, PRO XT, DPS (HD10 except T-cat 2020), XT (HD10), XT-P, XU (HD10 T-cat) 2021 & up, XU (HD9 T-cat)		715005492			
2020 & up	Traxter XT cab, XT Cab Limited, Hunting Edition, Lone Star Edition, X mr, PRO Limited, PRO Lone Star		715004832			

	715005103			
(2.5 cm	uge ground clearance increase of 4.5" (11.44 cm).1" m) lugs in the front and 1.25" (3.2 cm) in the back. he 360 LT Mounting Kit is required. ompliant.			
	715004832			
	715004831			
	715005492			
track-e	T air intake relocation kit is MANDATORY for quipped 2020 & up Traxter models HD10 and highly nended for other models. This kit is sold separately.			
	715007338			
acy and c	ptimized steering assist, which make for perfect			
	(2.5 cm • Apache • EC con • The CV track-e recom			

• Required to install the Apache and Backcountry Track Systems.

ProMount PLOWS

CAN-AM ProMount FLEX2				
Can-Am ProMount Flex2 72" (1	83 cm) Blade Plow kit	Traxter, Traxter MAX		715008170
	These kits include: Can-Am ProMount Flex2 Bl. Push Frame with Quick-Atta Mounting Plate.			
CAN-AM ProMount FLEX2	BLADES			
Can-Am ProMount Flex2 72" (1	83 cm) Blade	Fits ProMount Push Fra	ame	715004485
	 Plow blade made of UHMWP absorbing material prevents accidental impact occurs. Replaceable wear blade. Large pin designed for easy black snow buildup at pivot point. 	damaging your plow when	Clears Blade Comp	e design provides best snow roll-off at any angle. s 66" (168 cm) when plow is fully angled. e height of 17" (43 cm). patible with Can-Am ProMount Blade accessories to er enhance plow versatility.
CAN-AM ProMount STEEL				
Can-Am ProMount Steel 72" (1)		Traxter, Traxter MAX		715008172 · Black 715008171 · Yellow
	These kits include: - Can-Am ProMount Steel Bla - Push Frame with Quick-Atta - Mounting Plate.			
CAN-AM ProMount STEEL				
Can-Am ProMount Steel 66" (1		Fits ProMount Push Fra	ame	 715006337 • Black 715006338 • Yellow
<u>B#1/421/11</u>	 Plow blade made from 12-gat Replaceable wear blade. Large pin designed for easy l snow buildup at pivot point. Blade design provides best s Clears 60" (152 cm) when plo 	blade rotation to eliminate	 Comp furthe 	height of 17" (43 cm). Datible with Can-Am ProMount Blade accessories to er enhance plow versatility. ompatible with S3 High Clearance front A-Arm.
Can-Am ProMount Steel 72" (1	83 cm) Blade	Fits ProMount Push Fra	ame	 715004474 · Black 715006021 · Yellow
ISTELD+1100	 Plow blade made from 12-gat Replaceable wear blade. Large pin designed for easy l snow buildup at pivot point. Blade design provides best s 	blade rotation to eliminate	 Blade Comp furthe 	s 66" (168 cm) when plow is fully angled. height of 17" (43 cm). batible with Can-Am ProMount Blade accessories to er enhance plow versatility. ompatible with S3 High Clearance front A-Arm.



 ¼ thick steel swivel scraper. 	
 Lifts up when the vehicle is moving forward affect the scraping. 	d
 Increased capacity to pull snow. 	
 More aggressive scraping in reverse mode).


Can-Am ProMount 66" (168 cm) Steel Oneway State Blade

715007263

 Make the job easier with the right tools, clear long alleys and make the task easier by sending the snow further out of the way. Wing end of plow measures 26" (67 cm) high and tapers down to 16" (41 cm). 						
teel Oneway State Blade	Fits ProMount Push Fran	ne	715007264			
 Make the job easier with the righ and make the task easier by send of the way. Wing end of plow measures 26" down to 16" (41 cm). 	ding the snow further out	higher. • Rubbe	ay "winged" state plow designed to throw snow r flap designed to keep snow away from the driver. n branded.			
CCESSORIES						
BOLGGORILG	i					
i	Traxter, Traxter MAX		715004206			
 Height: 24" (60 cm). Sold in pairs. Compatible with Can-Am ProMoblades with or without Blade Ext Can-Am ProMount Steel 54" (13") 	ensions (except for the					
Plastic Wear Blade	Traxter, Traxter MAX		715004482			
Plastic Wear Blade	Traxter, Traxter MAX		715004483			
	Traxter, Traxter MAX		715006258			
 Help keep snow in the plow. Dimensions: 17" x 13" (43.2 cm x Sold in pairs. Compatible with Can-Am ProMoblades with or without Blade Ext the Can-Am ProMount Steel 54" 	ount Steel and Flex2 ensions (except for					
			■ 715004205 · Black			
ons	Traxter, Traxter MAX		715005319 · Yellow			
 Add 3" (8 cm) each side. Compatible with Can-Am ProMo Can-Am ProMount Steel 54" [13] Longer Wear Blade can be instal the extra length already provided Compatible with Can-Am ProMo Blades (except for the Can-Am P cm] Blades). 	7 cm] Blade). led to further extend d by the extensions. unt Steel and Flex2					
	ProMount Plows (60" and	d more)	715007794			
 ¼ thick steel swivel scraper. Lifts up when the vehicle is moving forward so as not to affect the scraping. Increased capacity to pull snow. 			e scraper off the ground so that it scrapes evenly. able in length for compatibility with 60", 66" " blades. tible with ProMount blades (Flex and Steel).			

Fits ProMount Push Frame

e 9	 Heavy-duty steel tubes designed 	d to withstand the	Plow Limit Switch recommende	ed to extend winch cable	
	roughest use. Mid-mount carriage provides ult traction. 	imate push strength and	 Ifespan. Can-Am ProMount Mounting Plainstallation. 	ate required for	
	 Designed for maximum plow lift 	height.	 Blade swivels left or right, 5 posi 	itions.	
	 Features a self aligning quick-att release pedal and an ergonomic adjustment. 		 Large pin designed for easy black dirt and snow buildup at pivot potential 		
an-Am ProMount Push Frame	e Extension	Traxter, Traxter MAX	715006257		-
	• 12" (30 cm) push frame extensio	n required when plow is inst	alled with Apache Track Systems		
an-Am ProMount Mounting P	Plate	Traxter, Traxter MAX (202 prior)	^{1 &} 715007743		-
	 Required to install the Can-Am P 	. ,			-
	 Mounting plate precision-design Comes with the Plow Roller Fairling 		hout compromising ground clear	ance.	
	 Not compatible with S3 Front High 	gh Clearance A-Arm (71500	3784 and 715005116).		
n-Am ProMount Mounting P	Plate	T			-
		Traxter, Traxter MAX (202	-		-
	Required to install the Can-Am P Mounting plate precision-design Comes with the Plow Roller Fairl Not compatible with S3 Front High	ProMount Push Frame with C ned to stay on year round wit lead.	Quick-Attach System. (hout compromising ground clear)	ance.	-
	Required to install the Can-Am P Mounting plate precision-design Comes with the Plow Roller Fairl	ProMount Push Frame with C ned to stay on year round wit lead.	Quick-Attach System. (hout compromising ground clear)	ance.	-
ow Angling System*	Required to install the Can-Am P Mounting plate precision-design Comes with the Plow Roller Fairl	ProMount Push Frame with C ned to stay on year round with lead. gh Clearance A-Arm (71500) Traxter, Traxter MAX an easy-to-control unit from and left/right plow control a w motions will allow you to e (257) is required for installation	20uck-Attach System. 20uck-Attach System. 2784 and 715005116). 715006022 the driver's seat. t your fingertips by using the suppressily concentrate and manage yo	blied joystick. ur plowing tasks.	-
ow Angling System*	 Required to install the Can-Am P Mounting plate precision-design Comes with the Plow Roller Fairl Not compatible with S3 Front High Converts your plow system into a Allows you to have full up/down Using one hand to control all plo Push Frame Extension (7150062 	ProMount Push Frame with C ned to stay on year round with lead. gh Clearance A-Arm (71500) Traxter, Traxter MAX an easy-to-control unit from and left/right plow control a w motions will allow you to e (257) is required for installation	20uck-Attach System. 20uck-Attach System. 2784 and 715005116). 715006022 the driver's seat. t your fingertips by using the suppressily concentrate and manage yo	blied joystick. ur plowing tasks.	-
	 Required to install the Can-Am P Mounting plate precision-design Comes with the Plow Roller Fairl Not compatible with S3 Front High Converts your plow system into a Allows you to have full up/down Using one hand to control all plo Push Frame Extension (7150062 	ProMount Push Frame with C ned to stay on year round with lead. gh Clearance A-Arm (71500 Traxter, Traxter MAX an easy-to-control unit from and left/right plow control a w motions will allow you to e 257) is required for installation ckcountry Track System. Traxter, Traxter MAX uces wear on wire rope for p	20uick-Attach System. 20uick-Attach System. 215005116). 2715006022 2715006022 2715006022 2715006022 2715006022 2705203753	blied joystick. ur plowing tasks.	-
ow Angling System*	Required to install the Can-Am P Mounting plate precision-design Comes with the Plow Roller Fairl Not compatible with S3 Front Hig Converts your plow system into a Allows you to have full up/down Using one hand to control all plo Push Frame Extension (7150062 Not compatible with Apache Bac Larger diameter lower roller reduced	ProMount Push Frame with C ned to stay on year round with lead. gh Clearance A-Arm (71500 Traxter, Traxter MAX an easy-to-control unit from and left/right plow control a w motions will allow you to e 257) is required for installation ckcountry Track System. Traxter, Traxter MAX uces wear on wire rope for p	20uick-Attach System. 20uick-Attach System. 215005116). 2715006022 2715006022 2715006022 2715006022 2715006022 2705203753	blied joystick. ur plowing tasks.	



· For use with Super-Duty Plow.

	715003416	
- 72" (18	33 cm) Super-Duty Plow.	
- Super	Duty Plow Mounting Kit.	
	- 72" (18 - Super	715003416 This kit includes: - 72" (183 cm) Super-Duty Plow. - Super-Duty Plow Push Frame. - Super-Duty Plow Mounting Kit.

Fraxter, Traxter MAX (2019 & prior)	715002840
Fraxter, Traxter MAX (2020 & up)	715006038

Pre-assembled, it comes with everything you need to turn your Super-Duty Plow into a quick, easy-to-control unit from

• With this commercial grade kit, you will send snow exactly where you want reliably all winter long.

uper-Duty Plow	715001221
w with the Apache 360 LT Track S nd Plow Pulley. essory Bar for installation.	System.
uper-Duty Plow	715001217
ow blade by 6" (1E em) on each a	do

uper-Duty Plow	715001216	
h of your plow. bjects.		
uper-Duty Plow	715001218	

uper-Duty Plow	715001219
id helps snow to roll in front of the	plow.
uper-Duty Plow	715002042

uper-Duty Plow	715001995
h to prevent cable, winch and fra	me damage.

COVERS & ADD-ONS

		Traxter, Traxter 6x6		715004453
Trailering Cover		Traxter MAX, Traxter PR	0	715004454
3	 Heavy-duty canvas made of UV-repolyester. Inner soft liner protects windshie from abrasion. All high-abrasion areas are reinfo canvas layer. 	ld and colored panels	during • Openir • Quick a • Design	er-resistant trailering cover protects your vehicle storage and transportation. Ig for fuel cap. and easy installation. Ied to perfectly fit your vehicle with or without n accessories.
Bolt-On [†] Retractable Ratcheting	Tie-Downs			295101072
	 Perfect for transporting your pow securing loads. Mounts easily: Bolts on any flat su frame). 1" x 6' (2.5 cm x 1.8 m) tie-down st stitching that delivers a 500 lb (22 strength and 1,500 lb (680 kg) break 	urface (e.g., truck bed or trap with heavy-duty 26 kg) working load	slacker mecha vehicle • Rubber	nient retractable push button automatically ns, spools and stores away strap, while the ratchet nism tightens the strap snugly to secure your or load into place. rratcheting handle provides firm grip, and the hook coated to protect whatever surface it hooks into. pairs.
Ratchet Tie-Downs				715008309 · Black/Grey
	 400 lb (181 kg) safe working load. 1" x 10' (2.5 cm x 3 m) strap with S Deluxe ratchet with rubber handl Coated S hooks. Pack of 2. 	Sea-Doo, Ski-Doo and Can	-Am logos	
Heavy-Duty Ratchet Tie-Down				715008308
	 1,000 lb (454 kg) safe working loa 1.5" x 6' (38 mm x 1.8 m) strap with Deluxe ratchet with rubber handl Black-coated clip hooks. 12" (300 mm) webbing included. Pack of two. 	h BRP brands.		

TIRES & RIMS

TIRES	Traxter MAX HD8, Traxter DPS HD8		705402754 · Front
XPS Trail Force Tires	XT HD8, Traxter MAX XT HD8, Traxt HD 10 , Traxter MAX LTD HD 10 (fron	ter DPS CAB HD8, Traxter LTD it only)	705503103 • Rear
	 All-terrain radial tire. 8-ply construction offered in 27X9 Versatile and suitable for many type Aggressive tread pattern for bettee Tread depth: 20 mm Max PSI: 42 	pes of terrain.	errains.
			705402504 • Front
ITP Cryptid		Traxter X mr	705502913 · Rear
	 Graduated lug height and paddle- mud without compromising ride c 6-ply rated. Front: 30" x 9" x 14". Rear: 30" x 11" x 14". 		le maximum side bite for climbing in and out of the



- Needs 16 bolts (250000787) for installing the beadlock. • Front: 12" x 6" offset = 41 mm.
- Rear: 12" x 7.5" offset = 51 mm.

	705402168 • Front 705400961 · CC
raxter (XT, XT Cab)	705502665 • <u>Rea</u> r 705501295 · CE
	705402560 • Front 705401386 · CE
raxter	705502938 • <u>Re</u> ar 705501818 · C€
	705402080 • Front
raxter	705502603 · Rear
raxter (Base & DPS models	705402107 · Front
nly)	705502626 • Rear

715003839 · 27" × 9"× 14"	
715000225 · 29" x 9"x 14"	

	705401594 · Front	
raxter, Traxter MAX	705502146 • Rear	_
	1	
ed).		
eu). alling the beadlock.		

	705401678 · Black · Front	
Fraxter, Traxter MAX	705502244 · Black · Rear	

58 | ACCESSORIES | TIRES & RIMS

12" Beadlock Rings		Traxter, Traxter MAX	 705401816 · Can-Am Red 705401815 · Orange Crush 705401814 · Yellow 705401695 · Octane Blue 		
	Cast aluminum beadlock. Must be installed on Front Rim and Rear Rim (705502244). Matching Nuts - 250100184	(705401678)			
Outlander X mr and Traxter Rim	Matching Cap - 705400928	Traxter, Traxter MAX (front wheels)	 705401848 · Black and machined · Front 705401849 · Black · Front 705502397 · Black and machined · Front 705502398 · Black · Rear 		
	 Cast aluminum rim with trendsetting explosive styling so you can ride – and look – like a trailblazer. Front: 14" x 6.5" offset = 10 mm. Rear: 14" x 8.5" offset = 23 mm. 				
	Matching Nuts - 250100184 Black, 250100185 Chrome Matching Cap - 705401541				
Traxter Cast-Aluminum 14" Rim		Traxter, Traxter MAX	705402338 · Black · Front 705502778 · Black · Rear		
	 Front: 14" x 7" offset = 41 mm. Rear: 14" x 8.5" offset = 51 mm. 				
	Matching Nuts - 250100184 Matching Cap - 705401541				
Lone Star Cast-Aluminum 14" Rim			705402334 · Front		
(Not illustrated)		Traxter, Traxter MAX	705502775 · Rear		
	 Front: 14" x 7" offset = 41 mm. Rear: 14" x 8.5" offset = 51 mm. 				
	Matching Nuts - 250100184 Matching Cap - 705401541				
		705402120 · Black · Front			
	 705402118 · Silver and machined · Front 705402121 · Black and machined · Front 				
		705502637 · Black · Rear			
Traxter Rim (Not illustrated)		 705502634 · Silver and machined · Rear 705502635 · Black and machined · Rear 			
		705502635 · Black and mac	chined · Rear		
	 Front: 14" x 7" offset = 41 mm. Rear: 14" x 8,5" offset = 51 mm. 	■ 705502635 · Black and mac	chined - Rear		

EXPLORE AN ENTIRE WORLD OF ADVENTURE WITH ALL OF OUR BRP PRODUCTS. **BRP.COM**











ski-doo Lynx servood con-am Rotax Alumhchaft Manitou QUINTREX

